



# 1 油门操纵机构总成 Throttle Control Mechanism



## 1 油门操纵机构总成 Throttle Control Mechanism

| 序号 Ser.No. | 代号 Part No.    | 名称及规格<br>Name & Specifications         | 数量 Quantity | 备注 Remarks |
|------------|----------------|----------------------------------------|-------------|------------|
| 1          | 404G2-6.20.012 | 油门拉线组合件<br>Accelerograph pull weldment | 1           |            |
| 2          | GB/T97.1-2002  | 垫圈 6<br>Plain washer 6                 | 5           |            |
| 3          | GB/T91-2000    | 销 2×16<br>Split pin 2×16               | 3           |            |
| 4          | GB/T882-2000   | 销轴B6×22<br>Clevis pin with head B6×22  | 2           |            |
| 5          | 304G2-6.20.011 | 手油门总成<br>Hand throttle                 | 1           |            |
| 6          | 550.20.015-1   | 摇臂焊合件<br>Rocker                        | 1           |            |
| 7          | GB/T879-2000   | 销5×20<br>Slotted spring pin 5×20       | 2           |            |
| 8          | 550.20.123-1   | 手油门摇臂<br>Hand accelerograph roker      | 1           |            |
| 9          | 550.20.122-1   | 扭簧<br>Torsion coil spring              | 1           |            |
| 10         | 550.20.121-1   | 油门支架<br>Bracket                        | 1           |            |
| 11         | GB/T6170-2000  | 螺母 M8<br>Hex. nut M8                   | 2           |            |
| 12         | GB/T93-1987    | 垫圈 8<br>Spring lock washer 8           | 2           |            |
| 13         | GB/T97.1-2002  | 垫圈 8<br>Plain washer 8                 | 2           |            |
| 14         | GB/T5783-2000  | 螺栓 M8×25<br>Hex. head bolt M8×25       | 2           |            |
| 15         | 550.20.021-1   | 脚油门杆焊合件<br>Pull-rod, pedal axes        | 1           |            |
| 16         | 550.20.104-1   | 油门踏板<br>Throttle lever                 | 1           |            |
| 17         | 550.20.120-1   | 橡胶帽<br>Rubber cap                      | 2           |            |
| 18         | GB/T6172-2000  | 螺母 M8<br>Hex. nut M8                   | 2           |            |
| 19         | GB/T5781-2000  | 螺栓 M8×40<br>Hex. head bolt M8×40       | 2           |            |
| 20         | 304G2-6.20.101 | 手油门固定板<br>Hand throttle fix plank      | 1           |            |
| 21         | GB/T5783-2000  | 螺栓 M6×16<br>Hex. head bolt M6×16       | 2           |            |
| 22         | GB/T93-1987    | 垫圈 6<br>Spring lock washer 8           | 2           |            |
| 23         | GB/T6170-2000  | 螺母 M6<br>Hex. nut M6                   | 2           |            |

## 2 离合器总成 Clutch



## 2 离合器总成 Clutch


| 序号 Ser.No. | 代号 Part No.        | 名称及规格        | Name & Specifications         | 数量 Quantity | 备注 Remarks |
|------------|--------------------|--------------|-------------------------------|-------------|------------|
| 1          | 300.21C.013        | 主离合器从动盘总成    | Driven plate ,main clutch     | 1           |            |
| 2          | 300.21C.103-1      | 主离合器压盘       | Pressure plate ,main clutch   | 1           |            |
| 3          | 304G2-6.21.101     | 碟形弹簧         | Disc spring                   | 2           |            |
| 4          | 300.21C.104        | 离合器固定压盘      | Fixed pressure plate, clutch  | 1           |            |
| 5          | 300.21C.012        | PTO离合器从动盘总成  | Driven plate PTO clutch       | 1           |            |
| 6          | 300.21C.106-1      | PTO离合器压盘     | Pressure plate PTO clutch     | 1           |            |
| 7          | 300.21C.113-1      | 调整螺栓         | Adjusting bolt                | 3           |            |
| 8          | GB/T6171-2000      | 螺母 M10×1     | Fine thread hex. nut M10×1    | 5           |            |
| 9          | 300.21C.107-1      | 离合器盖         | Clutch cover                  | 1           |            |
| 10         | GB/T93-1987        | 垫圈 10        | Spring lock washer 10         | 6           |            |
| 11         | GB/T5782-2000      | 螺栓 M10×90    | Hex. head bolt M10×90         | 6           |            |
| 12         | 280.21.109-1       | 销轴           | Clevis pin with head          | 3           |            |
| 13         | GB/T93-1987        | 垫圈 12        | Spring lock washer 12         | 12          |            |
| 14         | GB/T5783-2000      | 螺栓 M12×45    | Hex. head bolt M12×45         | 12          |            |
| 15         | 300.37.154         | 圆柱销          | Parall pin                    | 2           |            |
| 16         | GB/T119.1-2000     | 销 B10×22     | Parallel pin B10×22           | 4           |            |
| 17         | 304G2-6.21.114     | 安全开关安装板      | safety switch bracket         | 1           |            |
| 18         | 300.21C.133        | 调整螺栓         | Adjusting bolt                | 1           |            |
| 19         | GB/T6170-2000      | 螺母 M6        | Hex. nut M6                   | 1           |            |
| 20         | JB/T7940.2-1995    | 油杯 45° M10×1 | Angle grease nipple 45° M10×1 | 1           |            |
| 21         | 304G2-6.21.015     | 离合器踏杆组合件     | Pedal weldment                | 1           |            |
| 22         | 300.21A.148        | 拉杆叉头         | Rod clevis                    | 1           |            |
| 23         | 200.21.127-1       | 外回位弹簧        | Return spring                 | 1           |            |
| 24         | 304G2-6.21.115     | 弹簧挂板         | Spring bracket                | 1           |            |
| 25         | 304G2/354G2.21.011 | 离合器壳体总成      | Clutch case                   | 1           |            |

## 2 离合器总成 Clutch

续表

| 序号 Ser.No. | 代号 Part No.    | 名称及规格    | Name & Specifications      | 数量 Quantity | 备注 Remarks |
|------------|----------------|----------|----------------------------|-------------|------------|
| 26         | 304G2-6.21.103 | 离合器拉杆    | clutch pull rod            | 1           |            |
| 27         | 254G2.21.106   | 连接叉      | Rod clevis                 | 1           |            |
| 28         | GB/T91-2000    | 销 3.2×25 | Split pin 3.2×25           | 2           |            |
| 29         | GB/T97.1-2002  | 垫圈 10    | Plain washer 10            | 5           |            |
| 30         | GB/T119.1-2000 | 销 B10×22 | Parallel pin B10×22        | 2           |            |
| 31         | GB/T894.1-1986 | 挡圈22     | Circlip for shaft 22       | 1           |            |
| 32         | 304G2-6.21.014 | 分离轴焊合件   | Release shaft              | 1           |            |
| 33         | 304G2.21.104   | 离合器拨叉    | Release fork               | 1           |            |
| 34         | GB/T879-2000   | 销 8×35   | Slotted spring pin 8×35    | 2           |            |
| 35         | GB/T879-2000   | 销 5×35   | Slotted spring pin 5×35    | 2           |            |
| 36         | 304G2.21.103   | 分离轴承座    | Release bearing seat       | 1           |            |
| 37         | 65TNK20        | 分离轴承     | Release bearing            | 1           |            |
| 38         | GB/T6173-2000  | 螺母 M10×1 | Fine thread hex. nut M10×1 | 6           |            |
| 39         | 300.21C.116-1  | 主分离杠杆    | Main release lever         | 3           |            |
| 40         | 300.21C.115    | 回位弹簧     | Return spring              | 3           |            |
| 41         | 300.21C.114-1  | 调整螺栓     | Adjusting bolt             | 3           |            |


### 3 机架总成 Frame



### 3 机架总成      **Frame**

| 序号 Ser.No. | 代号 Part No.    | 名称及规格    | Name & Specifications    | 数量 Quantity | 备注 Remarks |
|------------|----------------|----------|--------------------------|-------------|------------|
| 1          | GB/T5783-2000  | 螺栓M14×35 | Hex.head bolt M14×35     | 16          | 8.8级       |
| 2          | GB/T93-1987    | 垫 圈14    | Spring Lock washer14     | 16          |            |
| 3          | 404G2-6.30.011 | 机架焊合件    | Frame                    | 1           |            |
| 4          | GB/T5783-2000  | 螺栓M16×45 | Hex.head bolt M16×45     | 4           |            |
| 5          | GB/T93-1987    | 垫 圈16    | Spring lock washer16     | 4           |            |
| 6          | GB/T6170-2000  | 螺母M16    | Hex .nut M16             | 4           |            |
| 7          | 404G2-6.30.012 | 配重架焊合件   | Assistant weight support | 1           |            |
| 8          | GB/T5783-2000  | 螺栓M8×16  | Hex.head bolt M8×16      | 2           |            |
| 9          | GB/T93-1987    | 垫 圈8     | Spring Lock washer8      | 2           |            |
| 10         | 250.30.116     | 手摇起动支承板  | Starting crank gate      | 1           |            |

## 4.1 前驱动轮总成 Front Drive Wheel






#### 4.1 前驱动轮总成 Front Drive Wheel


| 序号 | Ser.No. | 代号            | Part No. | 名称及规格           | Name & Specifications   | 数量  | Quantity | 备注                           | Remarks |
|----|---------|---------------|----------|-----------------|-------------------------|-----|----------|------------------------------|---------|
| 1  |         | 304.32.011    |          | 轮辋总成 (16×5.00F) | Rim , Front drive wheel | 1×2 |          |                              |         |
| 2  |         | GB/T2979-1999 |          | 驱动轮内胎 6.50-16   | Tube 6.50-16            | 1×2 |          |                              |         |
|    |         | GB/T2979-1999 |          | 驱动轮内胎 7.50-16   | Tube 7.50-16            | 1×2 |          | Optional while placing order |         |
| 3  |         | GB/T2979-1999 |          | 驱动轮外胎 6.50-16   | Tire 6.50-16            | 1×2 |          |                              |         |
|    |         | GB/T2979-1999 |          | 驱动轮外胎 7.50-16   | Tire 7.50-16            | 1×2 |          | Optional while placing order |         |

## 4.2 前驱动轮总成(工业胎) Front Drive Wheel (Industrial Tyre)






### 4.3 前驱动轮总成(草地胎) Front Drive Wheel(Turf Tyre)



### 4.3 前驱动轮(草地胎) Front Drive Wheel (Turf tyre)

| 序号 Ser.No. | 代号 Part No.   | 名称及规格         | Name & Specifications     | 数量 Quantity | 备注 Remarks |
|------------|---------------|---------------|---------------------------|-------------|------------|
| 1          | 284.32A.011   | 轮辋总成(12×5.5F) | Front wheel rim (12×5.5F) | 1×2         |            |
| 2          | GB/T2979-1999 | 外胎 7.5-16     | Tire 7.5-16               | 1×2         |            |
| 3          | GB/T2979-1999 | 内胎 7.5-16     | Tube 7.5-16               | 1×2         |            |


## 5.1 驱动轮总成 Drive Wheel



### 5.1 驱动轮总成 Drive Wheel

| 序号 Ser.No. | 代号 Part No.   | 名称及规格         | Name & Specifications        | 数量 Quantity | 备注 Remarks  |
|------------|---------------|---------------|------------------------------|-------------|-------------|
| 1          | 300.34.102-2  | 配重螺栓          | Bolt for ballast             | 3×2         |             |
| 2          | GB/T97.1-2002 | 垫圈 16         | Plain washer 16              | 3×2         |             |
| 3          | GB/T93-1987   | 垫圈 16         | Spring lock washer 16        | 6×2         |             |
| 4          | GB/T6170-2000 | 螺母 M16        | Hex. nut M16                 | 6×2         |             |
| 5          | GB/T6176-2000 | 螺母 M14×1.5    | Fine thread hex. nut M14×1.5 | 6×2         |             |
| 6          | GB/T93-1987   | 垫圈 14         | Spring lock washer 14        | 6×2         |             |
| 7          | GB/T97.1-2002 | 垫圈 14         | Plain washer 14              | 6×2         |             |
| 8          | 200.34.115    | 轮辋螺栓          | Attachment bolt              | 6×2         |             |
| 9          | 300.34.101-2  | 后配重           | Rear wheel ballast           | 2×2         |             |
| 10         | 300.34.103-1  | 驱动轮幅板         | Wheel disc                   | 1×2         |             |
| 11         | 400-6.34.020  | 轮辋焊合件         | Wheel rim                    | 1×2         | For 12.4-24 |
|            | 300.34.011    | 驱动轮轮辋总成       | Wheel rim                    | 1×2         | For 11.2-24 |
| 12         | GB/T2979-1999 | 驱动轮内胎 12.4-24 | Tube 12.4-24                 | 1×2         |             |
|            | GB/T2979-1999 | 驱动轮内胎 11.2-24 | Tube 11.2-24                 | 1×2         |             |
| 13         | GB/T2979-1999 | 驱动轮外胎 12.4-24 | Tire 12.4-24                 | 1×2         |             |
|            | GB/T2979-1999 | 驱动轮外胎 11.2-24 | Tire 11.2-24                 | 1×2         |             |
| 14         | GB/T96-2002   | 垫圈 16         | Large plain washer 16        | 3×2         |             |

## 5.2 驱动轮总成(工业胎) Drive Wheel(Industrial Tyre)






## 5.2 驱动轮总成(工业胎) Drive Wheel (Industrial tyre)

| 序号 Ser.No. | 代号 Part No.   | 名称及规格                | Name & Specifications   | 数量 Quantity | 备注 Remarks |
|------------|---------------|----------------------|-------------------------|-------------|------------|
| 1          | GB/T6170-2000 | 螺母 M16               | Hex. nut M16            | 6×2         |            |
| 2          | GB/T93-1987   | 垫圈 16                | Spring lock washer 16   | 6×2         |            |
| 3          | GB/T96-2002   | 垫圈 16                | Large plain washer 16   | 3×2         |            |
| 4          | 304.34.102    | 配重螺栓                 | Ballast bolt            | 3×2         |            |
| 5          | 304.34.101    | 后配重                  | Rear wheel ballast      | 2×2         |            |
| 6          | 354.34.011-1  | 轮辋总成 (22.5×13.00K)   | Wheel rim (22.5×13.00K) | 1×2         |            |
| 7          |               | 工业胎后轮 (16.5-22.5NHS) | Tire (16.5-22.5NHS)     | 1×2         |            |
| 8          | GB/T97.1-2002 | 垫圈 16                | Plain washer 16         | 3×2         |            |


### 5.3 驱动轮总成(草地胎) Drive Wheel (Turf Tyre)



### 5.3 驱动轮总成（草地胎） Drive Wheel (Turf tyre)

| 序号 Ser.No. | 代号 Part No.   | 名称及规格        | Name & Specifications | 数量 Quantity | 备注 Remarks |
|------------|---------------|--------------|-----------------------|-------------|------------|
| 1          | GB/T2979-1999 | 外胎 12.4-24   | Tire 12.4-24          | 1×2         |            |
| 2          | GB/T2979-1999 | 内胎 12.4-24   | Tube 12.4-24          | 1×2         |            |
| 3          | 284.34A.011   | 轮辋总成(W10×20) | Wheel rim (W10×20)    | 1×2         |            |
| 4          | GB/T5782-2000 | 螺栓 M14×80    | Hex. head bolt M14×80 | 2×6         |            |
| 5          | GB/T97.1-2002 | 垫圈 14        | Large plain washer 14 | 2×6         |            |
| 6          | 284.34A.101   | 幅板           | Wheel disc            | 2×6         |            |
| 7          | GB/T93-1987   | 垫圈 14        | Spring lock washer 14 | 2×6         |            |
| 8          | GB/T6170-2000 | 螺母 M14       | Hex. nut M14          | 2×6         |            |


## 6 摆杆式牵引装置总成 Swing Drawbar Frame



## 6 摆式牵引装置总成 Swing Drawbar Frame

| 序号 Ser.No. | 代号 Part No.   | 名称及规格     | Name & Specifications  | 数量 Quantity | 备注 Remarks |
|------------|---------------|-----------|------------------------|-------------|------------|
| 1          | 300.53A.012-1 | 摆杆式牵引焊合件  | Swing Drawbar Frame    | 1           |            |
| 2          | GB/T93-1987   | 垫圈 16     | Spring lock washer 16  | 6           |            |
| 3          | GB/T5783-2000 | 螺栓 M16×40 | Hex. head bolt M16×40  | 4           |            |
| 4          | 300.53.102    | 牵引 R销     | R-pin                  | 2           |            |
| 5          | 300.53.109    | 牵引销       | Hitch pin              | 2           |            |
| 6          | 300.53A.103   | 牵引板       | Drawbar plate          | 1           |            |
| 7          | GB/T6170-2000 | 螺母 M16    | Hex. nut M16           | 2           |            |
| 8          | GB/T5782-2000 | 螺栓 M16×65 | Hex. head bolt M16×65  | 2           |            |
| 9          | 300.53.011    | 销轴焊合件     | Spindle                | 1           |            |
| 10         | 200.56.011    | 锁销组总成     | Lock pin               | 1           |            |
| 11         | 300.53.104-1  | 牵引卡       | Drawbar clamping plate | 1           |            |

## 7.1 变速箱总成 (A) Gearbox (A)



## 7.1 变速箱总成(A) Gearbox(A)

| 序号 Ser.No. | 代号 Part No.     | 名称及规格<br>Name & Specifications                | 数量 Quantity | 备注 Remarks |
|------------|-----------------|-----------------------------------------------|-------------|------------|
| 1          | 304G2.37.015    | 主变速换挡杆手柄总成<br>Main shift lever handle         | 1           |            |
| 2          | GB/T6170-2000   | 螺母 M10<br>Hex. nut M10                        | 2           |            |
| 3          | 304G2-6.37.011  | 主变速换挡杆总成<br>Main shift lever                  | 1           |            |
| 4          | 304G2.37.175    | 固定套<br>Fixing sleeve                          | 1           |            |
| 5          | GB/T894.1-1986  | 挡圈30<br>Circlip for shaft 30                  | 1           |            |
| 6          | GB/T894.1-1986  | 挡圈16<br>Circlip for shaft 16                  | 1           |            |
| 7          | GB/T97.1-2002   | 垫圈16<br>Chamfered plain washer 16             | 2           |            |
| 8          | 304G2.37.118-1  | 压簧<br>Pressure spring                         | 2           |            |
| 9          | 304G2.37.120    | 拨杆<br>Sliding lever                           | 2           |            |
| 10         | GB/T879.1-2000  | 销5×26<br>Slotted spring pin 5×26              | 8           |            |
| 11         | 304G2.37.121    | III-IV挡拨头<br>III-IV Sliding block             | 1           |            |
| 12         | 304G2.37.122    | I - II 挡拨头<br>I - II Sliding block            | 1           |            |
| 13         | 304G2.37.128    | 梭形挡拨头<br>Patrol sliding block                 | 1           |            |
| 14         | GB/T3452.1-1992 | O形圈15×2.65<br>O-ring seal 15×2.65             | 3           |            |
| 15         | 304G2.37.129    | 梭形挡拨叉轴<br>Patrol fork shaft                   | 1           |            |
| 16         | GB/T93-1987     | 垫圈10<br>Spring lock washer 10                 | 32          |            |
| 17         | GB/T5783-2000   | 螺栓M10×25<br>Hex. Head bolt M10×25             | 26          |            |
| 18         | 200.38.024      | 放油螺栓总成<br>Oil drain plug                      | 1           |            |
| 19         | 12.37.149       | 组合密封圈<br>Combined seal washer                 | 1           |            |
| 20         | 300.37.150      | 底盖<br>Bottom cover                            | 1           |            |
| 21         | 300.37.151      | 底盖纸垫<br>Paper gasket                          | 1           |            |
| 22         | 200.38.144-3    | 衬套<br>Bush                                    | 2           |            |
| 23         | 304G2.37.101    | 变速箱壳体<br>Gearbox housing                      | 1           |            |
| 24         | 304G2.37.117    | 副变速拨叉轴<br>Range gear shift fork shaft         | 1           |            |
| 25         | 200.37.211      | 高低档拨叉<br>Shifting fork high - low speed range | 1           |            |

## 7.1 变速箱总成(A) Gearbox(A)

续表

| 序号 Ser.No. | 代号 Part No.     | 名称及规格        | Name & Specifications             | 数量 Quantity | 备注 Remarks |
|------------|-----------------|--------------|-----------------------------------|-------------|------------|
| 26         | 200.37.127-1    | 拨叉定位弹簧       | Positioning spring,shift fork     | 4           |            |
| 27         | GB/T308-2002    | 钢球9.5        | Steel ball 9.5                    | 4           |            |
| 28         | 200.38.112      | 高低档拨销        | Shifter peg                       | 1           |            |
| 29         | GB/T879.1-2000  | 销6×28        | Slotted spring pin 6×28           | 1           |            |
| 30         | 200.38.111      | 操纵轴衬套纸垫      | Paper gasket ,bush                | 1           |            |
| 31         | 200.38.113      | 操纵轴衬套        | Bush,shifter peg                  | 1           |            |
| 32         | GB/T93-1987     | 垫圈 8         | Spring lock washer 8              | 6           |            |
| 33         | GB/T5783-2000   | 螺栓 M8×20     | Hex. head bolt M8×20              | 2           |            |
| 34         | 304G2-6.37.013  | 高低档换档杆总成     | Shift lever high- low speed range | 1           |            |
| 35         | 304G2.37.103    | 变速箱盖         | Gearbox cover                     | 1           |            |
| 36         | 304G2.37.016    | 梭形挡换挡杆手柄总成   | Patrol shift lever handle         | 1           |            |
| 37         | 304G2-6.37.012  | 梭形挡换挡杆总成     | Patrol shift lever                | 1           |            |
| 38         | GB/T5783-2000   | 螺栓 M12×25    | Hex. head bolt M12×25             | 1           |            |
| 39         | GB3541-83       | 垫圈12         | Washer 12                         | 1           |            |
| 40         | 304G2.37.155    | 梭形挡拨叉中轴      | Patrol fork middle shaft          | 1           |            |
| 41         | GB/T3452.1-1992 | O形圈11.2×2.65 | O-ring seal 11.2×2.65             | 1           |            |
| 42         | 304G2.37.127    | III-IV挡拨叉轴   | Shaft,III-IV shift fork           | 1           |            |
| 43         | 304G2.37.126    | I - II 挡拨叉轴  | Shaft, I - II shift fork          | 1           |            |
| 44         | 450.37.102      | 互锁销          | Mutual locking plunger            | 1           |            |
| 45         | 304G2.37.102    | 变速箱盖纸垫       | Paper gasket , gearbox cover      | 1           |            |
| 46         | 304G2.37.130    | 梭形挡拨叉        | Patrol fork                       | 1           |            |
| 47         | 304G2.37.112    | III-IV挡拨叉    | III-IV Fork                       | 1           |            |
| 48         | 304G2.37.114    | I - II 挡拨叉   | I - II Fork                       | 1           |            |
| 49         | GB/T75-1985     | 螺钉M8×30      | Blot M8×30                        | 1           |            |




## 7.1 变速箱总成(A) Gearbox(A)

续表

| 序号 Ser.No. | 代号 Part No.     | 名称及规格        | Name & Specifications | 数量 Quantity | 备注 Remarks |
|------------|-----------------|--------------|-----------------------|-------------|------------|
| 50         | GB/T3452.1-1992 | O形圈10.6×2.65 | O-ring seal 10.6×2.65 | 1           |            |
| 51         | 304G2.37.179    | 隔套           | Spacer                | 1           |            |

## 7.2 变速箱总成 (B) Gearbox (B)



## 7.2 变速箱总成(B) Gearbox(B)

| 序号 Ser.No. | 代号 Part No.    | 名称及规格      | Name & Specifications             | 数量 Quantity | 备注 Remarks |
|------------|----------------|------------|-----------------------------------|-------------|------------|
| 1          | GB/T305-1998   | 止动环80      | Snap ring 80                      | 2           |            |
| 2          | GB/T276-1994   | 轴承6208     | Ball bearing 6208                 | 4           |            |
| 3          | 304G2.37.143   | 梭行挡前隔圈     | Front spacer sleeve,patrol        | 1           |            |
| 4          | 304G2.37.141   | 大衬套        | Big bush                          | 2           |            |
| 5          | 304G2.37.018   | 梭行挡被动齿轮焊合件 | Driven gear,patrol                | 1           |            |
| 6          | 450.37.204     | 同步环        | Synthronization ring              | 6           |            |
| 7          | 450.37.207     | 托架         | Bracket                           | 9           |            |
| 8          | 450.37.208     | 止销         | Stop pin                          | 9           |            |
| 9          | 450.37.206     | 弹簧         | Spring                            | 9           |            |
| 10         | 304G2.37.142   | 同步器齿座      | Synchronizing gear seat           | 1           |            |
| 11         | 450.37.202     | 滑动齿套       | Sliding gear sleeve               | 3           |            |
| 12         | 304G2.37.017   | 前进挡被动齿轮焊合件 | Driven dear,advance               | 3           |            |
| 13         | 304G2.37.135   | 中间轴        | Counter-shaft                     | 2           |            |
| 14         | 304G2.37.140   | 梭行挡后隔圈     | Rear spacer,patrol                | 2           |            |
| 15         | 304G2.37.139   | 短隔圈        | Short spacer                      | 1           |            |
| 16         | 304G2.37.138   | IV挡主动齿轮    | Driving gear,IV Speed             | 2           |            |
| 17         | 304G2.37.134   | 长隔套        | Long spacer                       | 2           |            |
| 18         | 304G2.37.137   | III挡主动齿轮   | Driving gear,III Speed            | 1           |            |
| 19         | 304G2.37.136   | II挡主动齿轮    | Driving gear,II Speed             | 1           |            |
| 20         | 304G2.37.133   | I挡主动齿轮     | Driving gear,I Speed              | 1           |            |
| 21         | 280.37.111     | 中间轴后轴端挡圈   | Rear retaining ring,counter-shaft | 1           |            |
| 22         | GB/T893.1-1986 | 挡圈28       | Circlip for shaft 28              | 3           |            |
| 23         | 300.37.132-1   | 输出轴接合套     | Transmission shaft                | 1           |            |
| 24         | GB/T893.1-1986 | 挡圈55       | Circlip for shaft 55              | 1           |            |
| 25         | GB/T276-1994   | 轴承6006     | Ball bearing 6006                 | 1           |            |

## 7.2 变速箱总成(B) Gearbox(B)

续表


| 序号 Ser.No. | 代号 Part No.     | 名称及规格              | Name & Specifications             | 数量 Quantity | 备注 Remarks        |
|------------|-----------------|--------------------|-----------------------------------|-------------|-------------------|
| 26         | GB/T894.1-1986  | 挡圈30               | Circlip for shaft 30              | 2           | For PTO(1000/540) |
| 27         | GB/T5783-2000   | 螺栓M8×25            | Hex. Head bolt M8×25              | 4           |                   |
| 28         | GB/T93-1987     | 垫圈8                | Spring lock washer 8              | 6           |                   |
| 29         | 280.37.110      | 中间轴后轴承盖            | Rear bearing cover,counter-shaft  | 1           |                   |
| 30         | 304G2.37.132    | 动力输出传动轴            | PTO transmission shaft            | 1           |                   |
| 31         | 300.37.149-A    | 动力输出传动齿轮（1000/540） | PTO transmission gear(1000/540)   | 1           |                   |
| 32         | GB/T276-1994    | 轴承6305             | Ball bearing 6305                 | 1           |                   |
| 33         | GB/T3452.1-1992 | O型圈73×3.55         | O-ring seal 73×3.55               | 2           |                   |
| 34         | 304G2.37.144    | 中间轴前轴承盖            | Front bearing cover,counter-shaft | 1           |                   |
| 35         | GB/T93-1987     | 垫圈10               | Spring lock washer 10             | 31          |                   |
| 36         | GB/T5783-2000   | 螺栓M10×25           | Hex. Head bolt M10×25             | 26          |                   |
| 37         | 200.37.105      | 滚针止推圈              | Thrust washer,roller              | 2           |                   |
| 38         | GB/T309-2000    | 滚针2.5×19.8         | Needle roller 2.5×19.8            | 28          |                   |
| 39         | 304G2.37.110    | 主变速前隔圈             | Front spacer,main shift           | 1           |                   |
| 40         | 304G2.37.111    | 薄衬套                | Thin bush                         | 1           |                   |
| 41         | 304G2.37.011    | IV挡被动齿轮焊合件         | Driven gear,IV Speed              | 1           |                   |
| 42         |                 | 同步器                | Synchronizer                      | 2           |                   |
| 43         | 304G2.37.012    | III挡被动齿轮焊合件        | Driven gear,III Speed             | 1           |                   |
| 44         | 304G2.37.113    | 短衬套                | Short Bush                        | 1           |                   |
| 45         | 304G2.37.013    | II挡被动齿轮焊合件         | Driven gear,II Speed              | 1           |                   |
| 46         | 304G2.37.014    | I 挡被动齿轮焊合件         | Driven gear, I Speed              | 1           |                   |
| 47         | 304G2.37.115    | 长衬套                | Long bush                         | 1           |                   |
| 48         | 304G2.37.110    | 主变速后隔圈             | Rear spacer,main shift            | 1           |                   |
| 49         | 304G2.37.131    | 二轴                 | Shaft II                          | 1           |                   |

## 7.2 变速箱总成(B) Gearbox(B)

续表

| 序号 Ser.No. | 代号 Part No.     | 名称及规格          | Name & Specifications          | 数量 Quantity | 备注 Remarks         |
|------------|-----------------|----------------|--------------------------------|-------------|--------------------|
| 50         | GB/T276-1994    | 轴承6307N        | Snap ring ball bearing 6307N   | 1           | For PTO (1000/540) |
| 51         | GB/T894.1-1986  | 挡圈35           | Circlip for shaft 35           | 1           |                    |
| 52         | 200.37.120      | 二轴后轴承盖         | Rear bearing cover , Shaft II  | 1           |                    |
| 53         | 200.37.012      | 行星机构总成         | Planet mechanism               | 1           |                    |
| 54         | GB/T93-1987     | 垫圈12           | Spring lock washer 12          | 4           |                    |
| 55         | GB/T5782-2000   | 螺栓M12×70       | Hex. head bolt M12×70          | 4           |                    |
| 56         | 200.37.212      | 接合齿套           | Sliding gear                   | 1           |                    |
| 57         | GB/T893.1-1986  | 挡圈80           | Circlip for shaft 80           | 2           |                    |
| 58         | GB/T276-1994    | 轴承6307         | Ball bearing 6307              | 1           |                    |
| 59         | 304G2.37.146    | 一轴常啮合齿轮        | Constant-mesh gear , shaft I   | 1           |                    |
| 60         | 304G2.37.145    | 隔套             | Spacer                         | 1           |                    |
| 61         | 300.37.103-A    | 输入轴 (1000/540) | Input shaft (1000/540)         | 1           |                    |
| 62         | GB/T5783-2000   | 螺栓M10×30       | Hex. head bolt M10×30          | 4           |                    |
| 63         | 304G2.37.147    | 一轴前轴承盖         | Front bearing cover , shaft I  | 1           |                    |
| 64         | JB2600-80       | 油封 SG35×55×10  | Oil seal SG35×55×10            | 1           |                    |
| 65         | GB/T3452.1-1992 | O型圈25×2.65     | O-ring seal 25×2.65            | 1           |                    |
| 66         | 304G2.37.105    | 中间齿轮轴          | Middle Gear Shaft              | 1           |                    |
| 67         | 304G2.37.104    | 中间齿轮轴挡销        | Block pin,middle gear shaft    | 1           |                    |
| 68         | GB3541-83       | 垫圈10           | Washer 10                      | 1           |                    |
| 69         | 304G2.37.106    | 中间齿轮前隔圈        | Front spacer,middle gear shaft | 1           |                    |
| 70         | GB/T5801-1994   | 滚针轴承6254905    | Needle roller bearing6254905   | 1           |                    |
| 71         | 304G2.37.108    | 梭行挡中间齿轮        | Middle gear,patrol             | 1           |                    |
| 72         | 304G2.37.106    | 中间齿轮后隔圈        | Rear spacer,middle gear shaft  | 1           |                    |
| 73         | GB/T93-1987     | 垫圈16           | Spring lock washer 16          | 1           |                    |
| 74         | GB/T6171-2000   | 螺母M16×1.5      | Hex. nut M16×1.5               | 1           |                    |


## Rear Axle (A)



### 8.1 后桥总成 (A) Rear Axle(A)

| 序号 Ser.No | 代号 Part No.   | 名称及规格       | Name & Specifications              | 数量 Quantity | 备注 Remarks |
|-----------|---------------|-------------|------------------------------------|-------------|------------|
| 1         | GB/T297-1994  | 滚动轴承32011   | Tapered roller bearing 32011       | 2           |            |
| 2         | 300.38.129    | 主传动主动圆锥齿轮   | Spiral-bevel pinion                | 1           |            |
| 3         | GB/T5785-2000 | 螺栓M10×1×30  | Fine pitch hex. head bolt M10×1×30 | 19          |            |
| 4         | 300.38.139    | 锁紧垫片        | Lock piece                         | 6           |            |
| 5         | 300.38.140    | 主传动被动圆锥齿轮   | Spiral-bevel gear                  | 1           |            |
| 6         | 300.38.138    | 差速器壳体       | Differential housing               | 1           |            |
| 7         | 300.38.147    | 半轴齿轮垫片      | Shim,half shaft gear               | 2           |            |
| 8         | 300.38.141    | 半轴齿轮        | Half shaft gear                    | 2           |            |
| 9         | 300.38.143    | 行星轴         | Planet gear shaft                  | 1           |            |
| 10        | 300.38.148    | 差速器盖        | Differential cover                 | 1           |            |
| 11        | 300.38.144    | 行星轴固定螺钉     | Fixing bolt for planet shaft       | 1           |            |
| 12        | 300.38.146    | 锁紧垫片        | Lock piece                         | 4           |            |
| 13        | 300.38.142    | 行星齿轮        | Planet gear                        | 2           |            |
| 14        | 300.38.145    | 行星齿轮垫片      | Planet gear shim                   | 2           |            |
| 15        | GB/T297-1994  | 滚动轴承30307   | Tapered roller bearing 30307       | 1           |            |
| 16        | 200.38.104    | 主传动主动齿轮调整垫片 | Adjusting shim,spiral bevel pinion | 1           |            |
| 17        | 300.38.135    | 主动齿轮轴承座     | Bearing seat,spiral bevel pinion   | 1           |            |
| 18        | GB/T93-1987   | 垫圈12        | Spring lock washer 12              | 4           |            |
| 19        | GB/T5783-2000 | 螺栓M12×35    | Fine thread Hex. head bolt M12×35  | 4           |            |
| 20        | GB/T297-1994  | 滚动轴承30207   | Tapered roller bearing 30207       | 1           |            |
| 21        | 300.38.134    | 短隔套         | Short spacer sleeve                | 1           |            |
| 22        | 200.38.145    | 甩油片         | Oil slinger                        | 1           |            |
| 23        | 200.38.134    | 锁片          | Lock piece                         | 1           |            |
| 24        | 200.38.130    | 锁紧螺母        | Lock nut                           | 2           |            |
| 25        | 200.38.131    | 止退垫片        | Lock washer                        | 1           |            |

## 8.2 后桥总成 (B) Rear Axle (B)





## 8.2 后桥总成 (B) Rear Axle(B)


| 序号Ser.No | 代号 Part No.     | 名称及规格          | Name & Specifications             | 数量 Quantity | 备注 Remarks |
|----------|-----------------|----------------|-----------------------------------|-------------|------------|
| 1        | GB/T6170-2000   | 螺母M12          | Hex. nut M12                      | 31          | Option     |
| 2        | GB/T898-1988    | 螺柱AM12×35      | Double end stud AM12×35           | 23          |            |
| 3        | GB/T93-1987     | 垫圈12           | Spring lock washer 12             | 44          |            |
| 4        | GB/T119.1-2000  | 销B8×22         | Parallel pin B8×22                | 4           |            |
| 5        | GB/T5783-2000   | 螺栓M8×20        | Hex. head bolt M8×20              | 3           |            |
| 6        | GB/T93-1987     | 垫圈8            | Spring lock washer 8              | 3           |            |
| 7        | 200.38.102      | 变速箱与后桥联接纸垫     | Paper gasket                      | 1           |            |
| 8        | 200.38.113      | 操纵轴衬套          | Bush,shifter peg                  | 1           |            |
| 9        | 200.38.111      | 操纵轴衬套纸垫        | Paper gasket,bush                 | 1           |            |
| 10       | 300.38.101-2    | 后桥壳体           | Transmission case                 | 1           |            |
| 11       | GB/T3452.1-1992 | O型密封圈10.6×2.65 | O-ring seal 10.6×2.65             | 1           |            |
| 12       | 300.38.103      | 高低档拨销          | Shifter peg                       | 1           |            |
| 13       | GB/T879.1-2000  | 销6×28          | Slotted spring pin 6×28           | 1           |            |
| 14       | GB/T5782-2000   | 螺栓M10×60       | Hex. head bolt M10×60             | 2           |            |
| 15       | 300.38.112      | 上盖板纸垫          | Paper gasket,upper cover          | 1           |            |
| 16       | 300.38.113B     | 上盖板            | Upper cover                       | 1           |            |
|          | 300.38.113A-1   | 上盖板            | Upper cover                       | 1           |            |
| 17       | 200.38.014A     | 油尺总成           | Dipstick                          | 1           |            |
| 18       | GB/T97.2-2002   | 垫圈10           | Chamfered plain washer 10         | 7           |            |
| 19       | GB/T93-1987     | 垫圈10           | Spring lock washer 10             | 7           |            |
| 20       | GB/T5783-2000   | 螺栓M10×20       | Hex. head bolt M10×20             | 7           |            |
| 21       | GB/T5783-2000   | 螺栓M12×35       | Fine thread Hex. head bolt M12×35 | 6           |            |
| 22       | 300.38.114      | 提升器壳体纸垫        | Paper gasket,lift housing         | 1           |            |
| 23       | GB/T5782-2000   | 螺栓M12×45       | Hex. head bolt M12×45             | 5           |            |
| 24       | 200.38.024      | 放油螺塞总成         | Oil drain plug                    | 1           |            |

## 8.2 后桥总成 (B) Rear Axle(B)

续表

| 序号 Ser.No | 代号 Part No.     | 名称及规格<br>Name & Specifications                   | 数量 Quantity | 备注 Remarks |
|-----------|-----------------|--------------------------------------------------|-------------|------------|
| 25        | 12.37.149       | 组合密封垫圈<br>Combines seal washer                   | 1           |            |
| 26        | 300.38.116      | 主传动被动齿轮调整垫片<br>Adjusting shims,spiral crown gear | 4组          |            |
| 27        | GB/T898-1988    | 螺柱AM12×40<br>Double end stud AM12×40             | 8           |            |
| 28        | 200.38.160      | 端盖<br>End cover                                  | 1           |            |
| 29        | GB/T3452.1-1992 | O型密封圈33.5×3.35<br>O-ring seal 33.5×3.35          | 1           |            |
| 30        | 200.38.144-3    | 衬套<br>Bush                                       | 2           |            |


### 8.3 差速锁总成 Differential Lock



### 8.3 差速锁总成 Differential Lock

| 序号 Ser.No | 代号 Part No.     | 名称及规格             | Name & Specifications              | 数量 Quantity | 备注 Remarks |
|-----------|-----------------|-------------------|------------------------------------|-------------|------------|
| 1         | 404G2-6.38.012  | 差速踏杆焊合件           | Foot control lever                 | 1           |            |
| 2         | GB/T5783-2000   | 螺栓M10×30          | Hex. head bolt M10×30              | 2           |            |
| 3         | GB/T93-1987     | 垫圈10              | Spring lock washer 10              | 2           |            |
| 4         | 404G2-6.38.011  | 限位板焊合件            | Limited bracket                    | 1           |            |
| 5         | GB/T879.1-2000  | 销5×35             | Slotted spring pin 5×35            | 2           |            |
| 6         | GB/T879.1-2000  | 销8×35             | Slotted spring pin 8×35            | 2           |            |
| 7         | GB/T97.2-2002   | 垫圈20              | Chamfered plain washer 20          | 1           |            |
| 8         | 300.38.154      | 拨叉                | Shift fork                         | 1           |            |
| 9         | GB/T3452.1-1992 | O型密封圈15×2.65      | O-ring seal 15×2.65                | 2           |            |
| 10        | 300.38.169      | 左接合套              | Left splicing sleeve               | 1           |            |
| 11        | GB/T75-1985     | 螺钉M10×25          | Set screw with dog point M10×25    | 2           |            |
| 12        | 300.38.170-1    | 右接合套              | Right splicing sleeve              | 1           |            |
| 13        | GB3081-82       | 热镀锌钢丝 I -1.40×260 | Galvanized steel wire I -1. 40×260 | 1           |            |
| 14        | 300.38.155-1    | 拨叉轴               | Shift fork shaft                   | 1           |            |
| 15        | 200.38.151-1    | 弹簧                | Spring                             | 1           |            |
| 16        | 300.38.152-1    | 轴套                | Sleeve                             | 1           |            |


## 9 最终传动总成 Final Transmission



## 9 最终传动总成      Final Transmission

| 序号 Ser. No. | 代号 Part No.        | 名称及规格         | Name & Specifications         | 数量 Quantity | 备注 Remarks |
|-------------|--------------------|---------------|-------------------------------|-------------|------------|
| 1           | GB/T894.1-1986     | 挡圈 35         | Circlip for shaft 35          | 1           |            |
| 2           | GB/T276-1994       | 止动球轴承 6307N   | Snap ring ball bearing 6307N  | 1           |            |
| 3           | 300.39B.101        | 主动齿轮          | Driving gear                  | 1           |            |
| 4           | 300.39.109         | 轴承座           | Bearing seat                  | 1           |            |
| 5           | GB/T3452.1-1992    | O形圈 103×3.55  | O-ring seal 103×3.55          | 1           |            |
| 6           | HG4-692-67         | 油封 SD60×90×12 | Oil seal SD60×90×12           | 2           |            |
| 7           | 300.39.113         | 轴承盖           | Bearing cover                 | 1           |            |
| 8           | GB/T93-1987        | 垫圈 12         | Spring lock washer 12         | 6           |            |
| 9           | GB/T5783-2000      | 螺栓 M12×35     | Hex. head bolt M12×35         | 6           |            |
| 10          | 300.39.103-3       | 半轴            | Half shaft                    | 1           |            |
| 11          | 300.39.102         | 后轮毂螺栓         | Rear hub bolt                 | 6           |            |
| 12          | 300.39.101         | 后轮毂螺母         | Rear hub nut                  | 6           |            |
| 13          | 200.39.110         | 纸垫            | Paper gasket                  | 1           |            |
| 14          | GB/T297-1994       | 圆锥滚子轴承30211   | Tapered roller bearing 30211  | 1           |            |
| 15          | 300.39.105-1/106-1 | 左/右半轴套管       | Right/left half shaft housing | 1           |            |
| 16          | GB/T3452.1-1992    | O形圈 128×3.55  | O-ring seal 128×3.55          | 1           |            |
| 17          | GB/T297-1994       | 圆锥滚子轴承 32014  | Tapered roller bearing 32014  | 1           |            |
| 18          | 300.39.110-3       | 被动齿轮          | Driven gear                   | 1           |            |
| 19          | 300.39.114         | 锁紧螺母          | Lock nut                      | 2           |            |
| 20          | 300.39.115         | 锁紧垫片          | Lock pieces                   | 1           |            |

# 10 液压转向系统总成 Full Hydraulic Power Steering Gear



## 10 液压转向系统总成 Full Hydraulic Power Steering Gear

| 序号 Ser.No. | 代号 Part No.     | 名称及规格         | Name & Specifications                  | 数量 Quantity | 备注 Remarks             |
|------------|-----------------|---------------|----------------------------------------|-------------|------------------------|
| 1          | 200.40.015      | 方向盘总成         | Steering wheel assy                    | 1           |                        |
| 2          | GB/T6173-2000   | 螺母 M16×1.5    | Hex. nut M16×1.5                       | 1           |                        |
| 3          | GB/T97.2-2002   | 垫圈 16         | Plain washer 16                        | 1           |                        |
| 4          | 304.40.112      | 橡胶轴承          | Rubber sleeve                          | 1           |                        |
| 5          | 304G2-6.40.014  | 转向管柱焊合件       | Steering column weldment               | 1           |                        |
| 6          | 304G2-6.40.116  | 转向轴           | Steering shaft                         | 1           |                        |
| 7          | 109-1-50-Ca     | 全液压转向器        | Full hydraulic steering gear           | 1           |                        |
| 8          | 304G2-6.40.012  | 转向支架合件        | Bracket weldment                       | 1           |                        |
| 9          | GB/T5783-2000   | 螺栓 M10×35     | Hex. head bolt M10×35                  | 4           |                        |
| 10         | GB/T93-1987     | 垫圈10          | Spring lock washer 10                  | 6           |                        |
| 11         | 404G2-6.40.019  | 转向油缸进油管焊合件(二) | Steering cylinder pipe(2)              | 1           |                        |
| 12         | 404G2-6.40.017  | 转向油缸进油管焊合件(一) | Steering cylinder pipe(1)              | 1           |                        |
| 13         | GB/T5783-2000   | 螺栓 M8×25      | Hex. head bolt M8×25                   | 1           |                        |
| 14         | 304G2-6.40.126  | 管夹(二)         | Pipe nip(2)                            | 3           |                        |
| 15         | 404G2-6.40.111  | 固定夹底板         | Base plate of fixed clip               | 1           |                        |
| 16         | GB/T93-1987     | 垫圈 8          | Spring lock washer 8                   | 14          |                        |
| 17         | GB/T6170-2000   | 螺母 M8         | Hex. nut M8                            | 2           |                        |
| 18         | 304G2-6.40.026  | 转向器进油管后段焊合件   | Oil delivery pipe weldment, rear part  | 1           |                        |
| 19         | 404G2-6.40.013  | 转向器进油管前段焊合件   | Oil delivery pipe weldment, front part | 1           |                        |
| 20         | HLCB-D04/04F1BR | 恒流溢流泵         | Constant flow pump                     | 1           | 扁口左旋 flat, left circle |
| 21         | JB982-1977      | 垫圈 18         | Washer 18                              | 2           |                        |
| 22         | 250D.58.118     | 铰接螺栓 M18×1.5  | Hollow bolt M18×1.5                    | 1           |                        |
| 23         | GB/T3542.1-1992 | O形圈18×2.65    | O-ring seal 18×2.65                    | 1           |                        |
| 24         | 304G2-6.40.023  | 油泵进油管焊合件      | Inlet pipe assy                        | 1           |                        |
| 25         | GB/T5783-2000   | 螺栓 M8×40      | Hex. head bolt M8×40                   | 4           |                        |



## 10 液压转向系统总成 Full Hydraulic Power Steering Gear

续表


| 序号 Ser.No. | 代号 Part No.     | 名称及规格          | Name & Specifications   | 数量 Quantity | 备注 Remarks |
|------------|-----------------|----------------|-------------------------|-------------|------------|
| 26         | 304.40A.017     | 软管总成           | Hose assy               | 1           |            |
| 27         | 250D.40.150     | 铰接螺栓 M16×1.5   | Hollow bolt M16×1.5     | 2           |            |
| 28         | JB982-1977      | 垫圈 16          | Washer 16               | 4           |            |
| 29         | 304.40A.019     | 转向油缸引伸油管焊合件(一) | Extended pipe(1)        | 1           |            |
| 30         | 284C.40.017     | 转向油缸引伸油管焊合件    | Extended pipe           | 1           |            |
| 31         | JB/T8870-99     | 喉箍 2A (44-64)  | Hoop 2A (44-64)         | 1           |            |
| 32         | 304.40A.132     | 橡胶护套           | Rubber jacket           | 1           |            |
| 33         | JB/T8870-99     | 喉箍 2A (13-20)  | Hoop 2A (13-20)         | 3           |            |
| 34         | GB/T6181-1986   | 螺母 M14×1.5     | Hex. nut M14×1.5        | 2           |            |
| 35         | GB/T91-2000     | 销 3.2×24       | Split pin 3.2×24        | 2           |            |
| 36         | 450.31.026-1    | 拉杆接头总成(右)      | Connector assy (Right)  | 1           |            |
| 37         | GB/T6173-2000   | 螺母 M18×1.5     | Hex. nut M18×1.5        | 1           |            |
| 38         | 304.40.033      | 转向油缸总成         | Steering cylinder assy  | 1           |            |
| 39         | 304.40.128      | 防尘罩            | Dustproof cover         | 2           |            |
| 40         | 304.40.130      | 挡圈             | Circlip stop ring       | 2           |            |
| 41         | GB/T983.0-2000  | 挡圈 30          | Circlip for shaft 30    | 2           |            |
| 42         | 304.40.127      | 销              | Pin                     | 1           |            |
| 43         | JB/T7940.2-1995 | 油杯45° M10×1    | Grease nipple 45° M10×1 | 1           |            |
| 44         | 304.40.125      | 下球头座           | Lower ball seat         | 2           |            |
| 45         | 304.40.129      | 球接头            | Ball connector          | 2           |            |
| 46         | 304.40.126      | 上球头座           | Upper ball saet         | 2           |            |
| 47         | JB/T6015-1992   | 胶管10-200       | Hose 10-200             | 1           |            |
| 48         | 254G2.40.015-1  | 转向油箱总成         | Oil tank                | 1           |            |
| 49         | GB/T5783-2000   | 螺栓 M10×20      | Hex. head bolt M10×20   | 2           |            |

10 液压转向系统总成 Full Hydraulic Power Steering Gear

续表

| 序号 Ser.No. | 代号 Part No.    | 名称及规格         | Name & Specifications        | 数量 Quantity | 备注 Remarks |
|------------|----------------|---------------|------------------------------|-------------|------------|
| 50         | GB/T97.1-2002  | 垫圈 10         | Plain washer 10              | 2           |            |
| 51         | GB/T6170-2000  | 螺母 M10        | Hex. nut M10                 | 2           |            |
| 52         | JB/T8870-99    | 喉箍 2A (16-20) | Hoop 2A (16-20)              | 2           |            |
| 53         | JB/T6015-1992  | 胶管13-200      | Hose 13-200                  | 1           |            |
| 54         | GB/T5783-2000  | 螺栓 M8×35      | Hex. head bolt M8×35         | 4           |            |
| 55         | 404G2-6.40.015 | 转向器回油管前段焊合件   | Oil delivery pipe-rear part  | 1           |            |
| 56         | GB/T5783-2000  | 螺栓 M8×30      | Hex. head bolt M8×30         | 1           |            |
| 57         | 304G2-6.40.029 | 转向器回油管后段焊合件   | Oil delivery pipe-front part | 1           |            |
| 58         | GB/T5783-2000  | 螺栓 M8×20      | Hex. head bolt M8×20         | 4           |            |
| 59         | GB/T93-1987    | 垫圈 6          | Spring lock washer 6         | 4           |            |
| 60         | GB/T5783-2000  | 螺栓 M6×20      | Hex. head bolt M6×20         | 4           |            |

# 11 动力输出总成 PTO



## 11 动力输出总成 PTO

| 序号 Ser.No. | 代号 Part No.    | 名称及规格<br>Name & Specifications               | 数量 Quantity | 备注 Remarks |
|------------|----------------|----------------------------------------------|-------------|------------|
| 1          | GB/T5783-2000  | 螺栓 M8×16<br>Hex. head bolt M8×16             | 2           |            |
| 2          | 300.41B.122    | 锁紧垫片<br>Lock washer                          | 1           |            |
| 3          | 300.41B.101    | 拨叉轴定位板<br>Locating plate of shift fork shaft | 1           |            |
| 4          | GB/T5783-2000  | 螺栓 M10×35<br>Hex. head bolt M10×35           | 8           |            |
| 5          | GB/T93-1987    | 垫圈 10<br>Spring lock washer 10               | 8           |            |
| 6          | 400B.41.102-1  | 双速输出齿轮壳体<br>PTO gear housing                 | 1           |            |
| 7          | 300.41B.103    | 挡圈<br>Blocking ring                          | 2           |            |
| 8          | 300.41B.104    | 挡圈<br>Blocking ring                          | 4           |            |
| 9          | GB/T309-2000   | 滚针 3×23.8<br>Needle roller 3×23.8            | 78          |            |
| 10         | 400B.41.106    | 中间齿轮(540/1000)<br>Middle gear (540/1000)     | 1           |            |
| 11         | 300.41B.107    | 双速输出中间轴<br>Middle shaft                      | 1           |            |
| 12         | GB3452.1-82    | O形圈 30×2.65<br>O-ring seal 30×2.65           | 1           |            |
| 13         | 300.41B.111    | 拨叉轴<br>Shift fork shaft                      | 1           |            |
| 14         | 400B.41.112-1  | 拨叉<br>Shift fork                             | 1           |            |
| 15         | 200.37.127-1   | 拨叉定位弹簧<br>Shift fork positioning spring      | 1           |            |
| 16         | GB/T308-2002   | 钢球 9.5<br>Steel ball 9.5                     | 1           |            |
| 17         | 400B.41.011-1  | 转轴焊合件<br>controlling shaft                   | 1           |            |
| 18         | GB/T894.1-1986 | 挡圈 15<br>Circlip for shaft 15                | 1           |            |
| 19         | GB3452.1-82    | O形圈 10.6×2.65<br>O-ring seal 10.6×2.65       | 1           |            |
| 20         | 200.38.111     | 操纵轴衬套纸垫<br>bushing gasket                    | 1           |            |
| 21         | 200.38.113     | 操纵轴衬套<br>Controlling shaft bushing           | 1           |            |
| 22         | GB/T93-1987    | 垫圈 8<br>Spring lock washer 8                 | 7           |            |
| 23         | GB/T5783-2000  | 螺栓 M8×25<br>Hex. head bolt M8×25             | 6           |            |
| 24         | GB/T879.1-2000 | 销 6×28<br>Slotted spring pin 6×28            | 1           |            |
| 25         | 350-1.41.024-1 | 弯臂焊合件<br>Flex arm weldment                   | 1           |            |

## 11 动力输出总成 PTO

续表


| 序号 Ser.No. | 代号 Part No.    | 名称及规格          | Name & Specifications          | 数量 Quantity | 备注 Remarks |
|------------|----------------|----------------|--------------------------------|-------------|------------|
| 26         | GB/T882-1986   | 销轴 B12×35      | Clevis pin with head B12×35    | 1           |            |
| 27         | GB/T91-2000    | 销 3.2×20       | Split pin 3.2×20               | 2           |            |
| 28         | GB/T97.1-2002  | 垫圈 12          | Plain washer 12                | 1           |            |
| 29         | 280.43.107     | 连接叉            | Rod clevis                     | 1           |            |
| 30         | GB/T6170-2000  | 螺母 M10         | Hex. nut M10                   | 1           |            |
| 31         | 350-1.41.023   | 传动杆焊合件         | Pull rod weldment              | 1           |            |
| 32         | 350-1.41.022   | 中间轴焊合件         | Middle shaft                   | 1           |            |
| 33         | GB/T97.1-2002  | 垫圈 10          | Plain washer 10                | 1           |            |
| 34         | 350-1.41.025   | 支板焊合件          | Plank weldment                 | 1           |            |
| 35         | 280.41.122-1   | 动力输出操纵杆手柄      | PTO control handle             | 1           |            |
| 36         | 350-1.41.021   | 手柄焊合件          | Handle weldment                | 1           |            |
| 37         | GB/T5846-1986  | 轴承 K223020     | Bearing K223020                | 1           |            |
| 38         | 400B.41.116    | 换档齿轮(540/1000) | Shifting gear (540/1000)       | 1           |            |
| 39         | GB/T119.1-2000 | 销 B8×26        | Straight pin B8×26             | 2           |            |
| 40         | 400B.41.116    | 双速输出齿轮壳体垫片     | Gasket of rear cover           | 1           |            |
| 41         | 400B.41.105-1  | 动力输出轴承座垫片      | PTO shaft bearing seat cover   | 1           |            |
| 42         | 400B.41.108    | 后桥后盖板          | Rear cover of rear axle        | 1           |            |
| 43         | GB/T93-1987    | 垫圈 12          | Spring lock washer 12          | 12          |            |
| 44         | GB/T5783-2000  | 螺栓 M12×35      | Hex. head bolt M12×35          | 12          |            |
| 45         | 300.41B.109    | 中间轴定位板         | Locating plate of middle shaft | 1           |            |
| 46         | GB/T276-1994   | 轴承 6209        | Ball bearing 6209              | 1           |            |
| 47         | 300.41B.114    | 动力输出轴(6键)      | PTO shaft (of 6 teeth)         | 1           |            |
|            | 300.41B.114A   | 动力输出轴(8键)      | PTO shaft (of 8 teeth)         | 1           |            |
| 48         | GB/T276-1994   | 轴承 6206        | Ball bearing 6206              | 1           |            |

## 11 动力输出总成 PTO

续表

| 序号 Ser.No. | 代号 Part No.     | 名称及规格           | Name & Specifications         | 数量 Quantity | 备注 Remarks |
|------------|-----------------|-----------------|-------------------------------|-------------|------------|
| 49         | GB/T894.1-1986  | 挡圈 35           | Circlip for shaft 35          | 1           |            |
| 50         | GB/T893.1-1986  | 挡圈 72           | Circlip for hole 72           | 1           |            |
| 51         | GB/T276-1994    | 轴承 6307         | Ball bearing 6307             | 1           |            |
| 52         | 400B.41.123A    | 传动齿轮轴(540/1000) | Driving gear shaft (540/1000) | 1           |            |
| 53         | GB/T276-1994    | 轴承 6108         | Ball bearing 6108             | 1           |            |
| 54         | GB/T13871-1992  | 油封 FB40×62×8    | Oil seal FB40×62×8            | 1           |            |
| 55         | 300.41B.125     | 油封挡圈            | Oil seal blocking ring        | 1           |            |
| 56         | GB/T3452.1-1992 | O形圈 80×2.65     | O-ring seal 80×2.65           | 1           |            |
| 57         | 300.41B.115-1   | 动力输出盖板          | Cover                         | 1           |            |
| 58         | 300.41.011      | 防尘盖             | PTO shaft shield              | 1           |            |
| 59         | 250.41.011      | 动力输出护罩          | PTO shaft safety cover        | 1           |            |
| 60         | GB/T97.1-2002   | 垫圈 8            | Plain washer 8                | 4           |            |

## 12.1 盘式制动器总成 Disc Brake




### 12.1 盘式制动器总成      Disc Brake

| 序号 Ser.No. | 代号 Part No.        | 名称及规格<br>Name & Specifications           | 数量 Quantity | 备注 Remarks |
|------------|--------------------|------------------------------------------|-------------|------------|
| 1          | GB/T5783-2000      | 螺栓 M10×25<br>Hex. head bolt M10×25       | 18          |            |
| 2          | GB/T93-1987        | 垫圈 10<br>Spring lock washer 10           | 18          |            |
| 3          | 300.43.151         | 制动器盖<br>Brake cap                        | 2           |            |
| 4          | 300.43.153         | 纸垫<br>Brake gasket                       | 2           |            |
| 5          | 300.43.161         | 调节杆<br>Adjustting rod                    | 2           |            |
| 6          | GB/T882-1986       | 销 轴B10×32<br>Clevis pin with head B10×32 | 2           |            |
| 7          | GB/T91-1986        | 销 3.2×20<br>Split pin 3.2×20             | 2           |            |
| 8          | GB/T308-1989       | 钢球 7/8"<br>Steel ball 7/8"               | 10          |            |
| 9          | 450.43.113         | 螺栓<br>Hex. head bolt                     | 4           |            |
| 10         | 450.43.114         | 拉板<br>Draw plate                         | 4           |            |
| 11         | GB/T6170-2000      | 螺母M10<br>Hex. Nut M10                    | 4           |            |
| 12         | 300.43.160         | 压盘<br>Brake pressure plate               | 4           |            |
| 13         | 300.43.024         | 从动盘总成<br>Brake driven disk               | 4           |            |
| 14         | GB/T70.3-2000      | 内六角沉头螺钉M8×25<br>Cross deep bolt M8×25    | 8           |            |
| 15         | HG4-692-67         | 油封 SG32×52×12<br>Oil seal SG 32×52×12    | 2           |            |
| 16         | 300.43.152-1/163-1 | 左/右制动器壳体<br>Left/Right brake housing     | 2           |            |
| 17         | 300.43.154-1       | 制动片<br>Brake piece                       | 2           |            |
| 18         | 450.43.112         | 内回位弹簧<br>Return spring                   | 6           |            |



## 12.2 制动器操纵机构总成 Brake Control Mechanism



## 12.2 制动器操纵机构总成 Brake Operation Mechanism

| 序号 Ser.No. | 代号 Part No.     | 名称及规格          | Name & Specifications         | 数量 Quantity | 备注 Remarks |
|------------|-----------------|----------------|-------------------------------|-------------|------------|
| 1          | 450.43.106      | 衬套             | Sleeve                        | 1           |            |
| 2          | GB/T5783-2000   | 螺栓 M10×35      | Hex. head bolt M10×35         | 15          |            |
| 3          | GB/T5783-2000   | 螺栓 M16×60      | Hex. head bolt M16×60         | 1           |            |
| 4          | GB/T97.1-2002   | 垫圈16           | Chamfered plain washer 16     | 2           |            |
| 5          | 250-1.43.012    | 手制动组合件         | Hand brake weld part          | 1           |            |
| 6          | GB/T93-1987     | 垫圈 10          | Spring lock washer 10         | 9           |            |
| 7          | GB/T 6170-2000  | 螺母 M10         | Hex. nut M10                  | 15          |            |
| 8          | 404G2-6.43.028  | 竖拉杆焊合件         | Upright pull bar weld part    | 1           |            |
| 9          | GB/T894.1-1986  | 挡圈10           | Circlip for shaft 10          | 1           |            |
| 10         | GB/T97.1-2002   | 垫圈10           | Chamfered plain washer 10     | 14          |            |
| 11         | 450.43.137      | 拉杆销轴           | Pull peg                      | 1           |            |
| 12         | GB/T5783-2000   | 螺栓 M10×45      | Hex. head bolt M10×45         | 3           |            |
| 13         | 350-1.43.013    | 手制动撑板焊合件       | Hand brake pull link weldment | 1           |            |
| 14         | GB/T93-1987     | 垫圈 16          | Spring lock washer 16         | 1           |            |
| 15         | GB /T6170-2000  | 螺母 M16         | Hex. nut M16                  | 2           |            |
| 16         | GB/T894.1-1986  | 挡圈35           | Circlip for shaft 35          | 2           |            |
| 17         | HG4-692-67      | 油封SD32×52×12   | Oil envelop SD32×52×12        | 2           |            |
| 18         | GB/T3452.1-1992 | O型圈10.6×2.65   | O Type ring10.6×2.65          | 8           |            |
| 19         | GB/T898-1988    | 螺柱AGM12-M12×35 | Double end stud AGM12-M12×35  | 8           |            |
| 20         | 280.43.103      | 纸垫             | Paper gasket                  | 2           |            |
| 21         | 280.43.118      | 密封套            | Seal cartridge                | 2           |            |
| 22         | 280.43.104      | 左摇臂支座          | Left rocker arm pedestal      | 1           |            |
| 23         | 300.43.155      | 左摇臂            | Left rocker arm               | 1           |            |
| 24         | 280.43.105      | 自位垫块           | Self-aligning block           | 2           |            |
| 25         | GB /T6170-2000  | 螺母 M12         | Hex. nut M12                  | 20          |            |

## 12.2 制动器操纵机构总成 Brake Operation Mechanism

续表


| 序号 Ser.No. | 代号 Part No.     | 名称及规格        | Name & Specifications           | 数量 Quantity | 备注 Remarks |
|------------|-----------------|--------------|---------------------------------|-------------|------------|
| 26         | GB/T91-2000     | 销3.2×28      | Split pin 3.2×28                | 4           |            |
| 27         | GB/T97.2-2002   | 垫圈12         | Chamfered plain washer 12       | 4           |            |
| 28         | GB/T882-1986    | 销轴 B12×40    | Clevis pin with head B12×40     | 2           |            |
| 29         | 404G2-6.43.018  | 后拉杆焊合件       | Back pullback weld part         | 2           |            |
| 30         | JB/T7940.1-1995 | 油杯M10×1      | Angle grease nipple M10×1       | 2           |            |
| 31         | GB/T894.1-1986  | 挡圈26         | Circlip for shaft 26            | 1           |            |
| 32         | 304G2-6.43.020  | 右制动踏杆组合件     | Right brake pedal               | 1           |            |
| 33         | 304G2-6.43.112  | 限位套          | Limit sheath                    | 1           |            |
| 34         | 304G2-6.43.019  | 左制动踏杆组合件     | Left brake pedal                | 1           |            |
| 35         | 304G2-6.43.133  | 安全开关安装板      | Safety on-off fix board         | 1           |            |
| 36         | 304G2-6.43.024  | 左前拉杆焊合件      | Left pull bar weld part         | 1           |            |
| 37         | 304G2-6.43.010  | 右前拉杆焊合件      | Right front pullback weld part  | 1           |            |
| 38         | 304G2-6.43.025  | 左连接套管组合件     | Left connect cannula assembled  | 1           |            |
| 39         | 304G2-6.43.026  | 右连接套管组合件     | Right connect cannula assembled | 1           |            |
| 40         | GB/T894.1-1986  | 挡圈22         | Circlip for shaft 22            | 1           |            |
| 41         | 304G2-6.43.118  | 拉杆叉 I        | Pullback fork I                 | 2           |            |
| 42         | GB/T6173-2000   | 螺母M16×1.5（左） | Hex. nut M16×11.5（left）         | 2           |            |
| 43         | 304G2-6.43.142  | 推杆           | handspike                       | 2           |            |
| 44         | GB/T6173-2000   | 螺母M16×1.5    | Hex. nut M16×11.5               | 2           |            |
| 45         | 304G2-6.43.119  | 拉杆叉 II       | Pullback fork II                | 2           |            |
| 46         | JB/T7940.2-1995 | 油杯 45°M10×1  | Angle grease nipple 45°M10×1    | 3           |            |
| 47         | GB/T879.1-2000  | 销 5×20       | Spring split pin 5×20           | 1           |            |
| 48         | 800.43.024      | 制动踏板联结轴焊合件   | Brake pedal link axis weld part | 1           |            |
| 49         | 404G2-6.43.016  | 左制动套管焊合件     | Left brake cannula weld part    | 1           |            |

## 12.2 制动器操纵总成 Brake Operation Mechanism

续表

| 序号 Ser.No. | 代号 Part No.    | 名称及规格     | Name & Specifications             | 数量 Quantity | 备注 Remarks |
|------------|----------------|-----------|-----------------------------------|-------------|------------|
| 50         | GB/T879.4-2000 | 销 8×40    | Spring split pin 8×40             | 3           |            |
| 51         | 304G2-6.43.204 | 制动器轴      | Detent axis                       | 1           |            |
| 52         | 404G2-6.43.205 | 后制动传动轴    | Back brake transmission axis      | 1           |            |
| 53         | 200.43.125     | 外回位弹簧     | External return spring            | 2           |            |
| 54         | 304G2-6.43.016 | 中间套管焊合件   | Middle cannula weld part          | 1           |            |
| 55         | 304G2-6.43.017 | 右制动套管焊合件  | Right brake cannula weld part     | 1           |            |
| 56         | GB/T894.1-1986 | 挡圈24      | Circlip for shaft 24              | 1           |            |
| 57         | 254G2.43.102   | 拉杆叉头      | Draw rod fork                     | 1           |            |
| 58         | 404G2-6.43.021 | 手制动拉杆焊合件  | Hand brake pull link weldment     | 1           |            |
| 59         | 300.43.150     | 右摇臂       | Right rocker arm                  | 1           |            |
| 60         | 280.43.110     | 右摇臂支座     | Right rocker arm pedestal         | 1           |            |
| 61         | 350-1.43.106   | 连接螺母      | Link Hex                          | 2           |            |
| 62         | 404G2-6.43.014 | 转轴支撑板焊合件  | Turn axis Support boare weld part | 1           |            |
| 63         | GB/T5783-2000  | 螺栓 M12×30 | Hex. head bolt M12×30             | 2           |            |
| 64         | GB/T882-1986   | 销轴 B10×22 | Clevis pin with head B10×22       | 1           |            |
| 65         | GB/T91-2000    | 销3.2×20   | Split pin 3.2×20                  | 14          |            |
| 66         | 404G2-6.43.015 | 转轴焊合件     | Turn axis weld part               | 1           |            |
| 67         | GB/T93-1987    | 垫圈 12     | Spring lock washer 12             | 11          |            |
| 68         | 404G2-6.43.123 | 安全开关固定板   | Safety on-off fix board           | 1           |            |
| 69         | GB/T5783-2000  | 螺栓 M10×25 | Hex. head bolt M10×25             | 5           |            |
| 70         | GB/T29.1-1988  | 螺栓 M8×25  | Hex. head bolt M8×25              | 2           |            |
| 71         | GB/T97.1-2002  | 垫圈8       | Chamfered plain washer 8          | 2           |            |
| 72         | GB/T882-1986   | 销轴 B10×32 | Clevis pin with head B10×32       | 4           |            |


# 13 座椅总成 Seat



### 13 座椅总成 Seat

| 序号 Ser.No. | 代号 Part No.    | 名称及规格      | Name & Specifications | 数量 Quantity | 备注 Remarks |
|------------|----------------|------------|-----------------------|-------------|------------|
| 1          | XL-SEAT-003    | 悬浮座椅       | Seat                  | 1           | 选装Option   |
|            | 280.44B.101    | 座椅         | Seat                  | 1           |            |
| 2          | GB/T5783-2000  | 螺栓 M10×20  | Hex. head bolt M10×20 | 6           |            |
| 3          | GB/T93-1987    | 垫圈 10      | Spring lock washer 10 | 6           |            |
| 4          | GB/T97.1-2002  | 垫圈 10      | Plain washer 10       | 6           |            |
| 5          | GB/T6170-2000  | 螺母 M10     | Hex. nut M10          | 4           |            |
| 6          | 304G2-6.44.011 | 座椅支架焊合件    | Seat bracket weldment | 1           |            |
| 7          | GB/T97.1-2002  | 垫圈 8       | Plain washer 8        | 2           |            |
| 8          | GB/T93-1987    | 垫圈 8       | Spring lock washer 8  | 2           |            |
| 9          | GB/T5783-2000  | 螺栓 M8×20   | Hex. head bolt M8×20  | 2           |            |
| 10         | 250-1.44.102   | 座椅安全带支板    | Safety belt bracket   | 2           |            |
| 11         | GB/T5783-2000  | 螺栓 M12×25  | Hex. head bolt M12×25 | 4           |            |
| 12         | GB/T93-1987    | 垫圈 12      | Spring lock washer 12 | 4           |            |
| 13         | GB/T6170-2000  | 螺母 M12     | Hex. nut M12          | 2           |            |
| 14         | 300.44B.012A   | 两点可弹式座椅安全带 | Safety belt           | 1           |            |

## 14.1 折叠式安全架总成 Folding Safety Frame




### 14.1 折叠式安全架总成 Folding Safety Frame

| 序号 Ser.No. | 代号 Part No.   | 名称及规格      | Name & Specifications | 数量 Quantity | 备注 Remarks |
|------------|---------------|------------|-----------------------|-------------|------------|
| 1          | 354-5.46.011  | 安全架左撑杆焊合件  | Left support frame    | 1           |            |
| 2          | 300.46D.114   | 弹簧锁销       | Spring lock pin       | 2           |            |
| 3          | GB/T5782-2000 | 螺栓 M24×100 | Bolt M24×100          | 2           |            |
| 4          | GB/T97.1-2002 | 垫圈24       | Plain washer 24       | 4           |            |
| 5          | GB/T93-1987   | 垫圈24       | Spring lock washer 24 | 2           |            |
| 6          | GB/T6170-2000 | 螺母24       | Hex. nut M24          | 2           |            |
| 7          | 280.46D.012   | 安全架上框焊合件   | Upper frame weldment  | 1           |            |
| 8          | 280.46D.108   | 锁销         | Lock pin              | 2           |            |
| 9          | 354-5.46.012  | 安全架右撑杆焊合件  | Right support frame   | 1           |            |
| 10         | GB/T5783-2000 | 螺栓 M12×60  | Bolt M12×60           | 12          |            |
| 11         | GB/T5782-2000 | 螺栓 M16×175 | Bolt M16×175          | 4           |            |
| 12         | GB/T97.1-2002 | 垫圈12       | Plain washer 12       | 6           |            |
| 13         | GB/T93-1987   | 垫圈12       | Spring lock washer 12 | 12          |            |
| 14         | GB/T6170-2000 | 螺母12       | Hex. nut M12          | 12          |            |




## 14.2 前安全架总成 Front Safety Frame



## 14.2 前安全架总成 Front Safety Frame

| 序号 Ser.No. | 代号 Part No.    | 名称及规格    | Name & Specifications | 数量 Quantity | 备注 Remarks |
|------------|----------------|----------|-----------------------|-------------|------------|
| 1          | GB/T5783-2000  | 螺栓M10×25 | Hex. head bolt M10×25 | 8           |            |
| 2          | 404G2-6.46.021 | 前安全架焊合件  | Front safety frame    | 1           |            |
| 3          | GB/T93-1987    | 垫圈10     | Spring lock washer 10 | 8           |            |


# 15 遮阳棚总成 Sunshade



### 15 遮阳棚总成 Sunshade

| 序号 Ser.No. | 代号 Part No.   | 名称及规格<br>Name & Specifications     | 数量 Quantity | 备注 Remarks |
|------------|---------------|------------------------------------|-------------|------------|
| 1          | 300.45.011    | 遮阳棚镶合件<br>Sunshade                 | 1           |            |
| 2          | 300.45.102    | 连接板<br>Connecting board            | 2           |            |
| 3          | GB/T6170-2000 | 螺母 M12<br>Hex. nut M12             | 8           |            |
| 4          | GB/T93-1987   | 垫圈 12<br>Spring lock washer 12     | 8           |            |
| 5          | GB/T97.1-2002 | 垫圈 12<br>Plain washer 12           | 16          |            |
| 6          | GB/T5782-2000 | 螺栓 M12×65<br>Hex. head bolt M12×65 | 4           |            |
| 7          | GB/T5782-2000 | 螺栓 M12×35<br>Hex. head bolt M12×35 | 4           |            |

# 16 机罩仪表罩总成 Hood and Panel



## 16 机罩仪表罩总成 Hood and Panel


| 序号 Ser.No. | 代号 Part No.         | 名称及规格    | Name & Specifications        | 数量 Quantity | 备注 Remarks |
|------------|---------------------|----------|------------------------------|-------------|------------|
| 1          | 300.47.113          | 标牌安装板    | Scutcheon bracket            | 1           |            |
| 2          | 300.47.106A         | 东风标牌     | Dong feng scutcheon          | 1           |            |
| 3          | GB/T93-1987         | 垫 圈5     | Spring Lock washer5          | 2           |            |
| 4          | GB/T6170-2000       | 螺母M5     | Hex .nut M5                  | 2           |            |
| 5          | 404G2-6.47.011      | 机罩合件     | Engine Hood                  | 1           |            |
| 6          | GB/T6170-2000       | 螺母M8     | Hex .nut M8                  | 8           |            |
| 7          | GB/T93-1987         | 垫 圈8     | Spring Lock washer8          | 12          |            |
| 8          | QD16-690×290×150-BB | 压缩气弹簧    | Gas spring                   | 2           |            |
| 9          | GB/T97.1-2002       | 垫 圈8     | Plain washer 8               | 8           |            |
| 10         | GB/T5783-2000       | 螺栓M8×25  | Hex.head bolt M8×25          | 8           |            |
| 11         | 304G2-6.47.104      | 电器安装板    | Wiring setting board         | 1           |            |
| 12         | 304G2-6.47.013      | 仪表罩合件    | Engine Hood                  | 1           |            |
| 13         | 304G2-6.47.105      | 变速杆挡板    | Gearlever baffle             | 1           |            |
| 14         | 304G2-6.47.106      | 挡板橡胶板    | Baffle Rubber board          | 1           |            |
| 15         | 304G2-6.47.014      | 右封板焊合件   | Right close board solder     | 1           |            |
| 16         | 304G2-6.47.103      | 橡胶套      | Rubber sheath                | 1           |            |
| 17         | 254G2.47C.109       | 橡胶圈      | Rubber ring                  | 1           |            |
| 18         | GB/T93-1987         | 垫 圈6     | Spring Lock washer6          | 19          |            |
| 19         | GB/T97.1-2002       | 垫 圈6     | Plain washer 6               | 23          |            |
| 20         | GB/T818-2000        | 螺钉M6×20  | Philips pan head screw M6×20 | 17          |            |
| 21         | 304G2-6.47.101      | 仪表盘      | Instrument board             | 1           |            |
| 22         | GB/T882-1986        | 销 B10×35 | Split pin B10×35             | 2           |            |
| 23         | GB/T97.1-2002       | 垫 圈10    | Plain washer 10              | 6           |            |
| 24         | GB/T91-2000         | 销 3.2×30 | Split pin 3.2×30             | 2           |            |
| 25         | 254G2.47C.102       | 铰链       | Gemel                        | 2           |            |

## 16 机罩仪表罩总成 Hood and Panel

续表

| 序号 Ser.No. | 代号 Part No.   | 名称及规格    | Name & Specifications | 数量 Quantity | 备注 Remarks |
|------------|---------------|----------|-----------------------|-------------|------------|
| 26         | 254G2.47C.106 | 铰链垫块     | Gemel underlay dollop | 1           |            |
| 27         | 800.47.026    | 机罩锁      | Hood lock             | 1           |            |
| 28         | 300-6.47.014  | 锁安装架焊合件  | Lock bracket          | 1           |            |
| 29         | GB/T5783-2000 | 螺栓M6×35  | Hex.head bolt M6×35   | 4           |            |
| 30         | 550-1.51.101  | 密封条      | Airproof piece        | 1           |            |
| 31         | GB/T6170-2000 | 螺母M6     | Hex .nut M6           | 6           |            |
| 32         | GB/T5783-2000 | 螺栓M6×20  | Hex.head bolt M6×20   | 2           |            |
| 33         | GB/T91-2000   | 销 2×16   | Split pin 2×16        | 1           |            |
| 34         | GB/T97.1-2002 | 垫 圈5     | Plain washer 5        | 1           |            |
| 35         | 254G2.47C.105 | 固定座      | Settled seat          | 1           |            |
| 36         | 254G2.47C.101 | 机罩开启杆    | Hood open haulm       | 1           |            |
| 37         | GB/T5783-2000 | 螺栓M10×25 | Hex.head bolt M10×25  | 4           |            |
| 38         | GB/T93-1987   | 垫 圈10    | Spring Lock washer10  | 4           |            |

## 17.1 地板挡泥板总成 Foot Mud Shields Rest





### 17.1 地板挡泥板总成 Foot Mud Shields Rest

| 序号 Ser.No. | 代号 Part No.    | 名称及规格     | Name & Specifications    | 数量 Quantity | 备注 Remarks |
|------------|----------------|-----------|--------------------------|-------------|------------|
| 1          | GB/T5783-2000  | 螺栓M10×40  | Hex.head bolt M10×40     | 4           |            |
| 2          | GB/T97.1-2002  | 垫片10      | Plain washer 10          | 20          |            |
| 3          | GB/T93-1987    | 垫片10      | Spring lock washer 10    | 24          |            |
| 4          | GB/T6170-2000  | 螺母M10     | Hex. nut M10             | 16          |            |
| 5          | GB/T5783-2000  | 螺栓M16×35  | Hex.head bolt M16x35     | 10          |            |
| 6          | 304G2-6.51.011 | 左前支架焊合件   | Left Front bracket rest  | 1           |            |
| 7          | 254G2.51.108   | 橡胶嵌套      | Rudder nest              | 1           |            |
| 8          | 304G2-6.51.029 | 右前支架焊合件   | Right Front bracket rest | 1           |            |
| 9          | 1B17382×0001   | 后视镜       | Driving mirror           | 1           |            |
| 10         | 304G2-6.51.030 | 挡风玻璃组合件   | Windscreen               | 2           |            |
| 11         | 304G2-6.51.026 | 右框架焊合件    | Right frame              | 1           |            |
| 12         | 304G2-6.51.027 | 右车梯焊合件    | Right foot ladder        | 1           |            |
| 13         | 304G2-6.51.012 | 电瓶架焊合件    | Battery bracket          | 1           |            |
| 14         | 304G2-6.51.109 | 电瓶前盖板     | Front cover plate        | 1           |            |
| 15         | 304G2-6.51.025 | 左框架焊合件    | Left frame               | 1           |            |
| 16         | 254G2.51.022   | 电瓶压紧装置焊合件 | Battery bracket gag      | 1           |            |
| 17         | GB/T5783-2000  | 螺栓M10×30  | Hex.head bolt M10×30     | 8           |            |
| 18         | 254G2.51A.103  | 电瓶上防护板    | Defent board             | 1           |            |
| 19         | 404G2-6.51.103 | 左地板橡胶板    | Left rubber sheet        | 1           |            |
| 20         | GB/T6170-2000  | 螺母M6      | Hex. nut M6              | 10          |            |
| 21         | GB/T93-1987    | 垫片6       | Spring lock washer 6     | 38          |            |
| 22         | GB/T97.1-2002  | 垫片6       | Plain washer 6           | 38          |            |
| 23         | GB/T5783-2000  | 螺栓M6×20   | Hex.head bolt M6×16      | 19          |            |
| 24         | 304G2-6.50.103 | 橡皮塞       | rubber stopper           | 1           |            |
| 25         | GB/T5783-2000  | 螺栓M8×25   | Hex.head bolt M8×16      | 10          |            |

### 17.1 地板挡泥板总成 Foot Mud Shields Rest

续表


| 序号 Ser.No. | 代号 Part No.    | 名称及规格       | Name & Specifications        | 数量 Quantity | 备注 Remarks |
|------------|----------------|-------------|------------------------------|-------------|------------|
| 26         | GB/T97.1-2002  | 垫片8         | Plain washer 8               | 10          |            |
| 27         | GB/T93-1987    | 垫片8         | Spring lock washer 8         | 10          |            |
| 28         | GB/T6170-2000  | 螺母M8        | Hex. nut M8                  | 4           |            |
| 29         | 404G2-6.51.013 | 左地板焊合件      | Left floor                   | 1           |            |
| 30         | 404G2-6.51.014 | 右地板焊合件      | Right floor                  | 1           |            |
| 31         | 404G2-6.51.104 | 右地板橡胶板      | Right rubber sheet           | 1           |            |
| 32         | 304G2-6.51.023 | 右地板支架焊合件（一） | Left floor gibbet（ I ）       | 1           |            |
| 33         | 404G2-6.51.012 | 右后支架焊合件     | Right and back bracket rest  | 1           |            |
| 34         | 404G2-6.51.102 | 变速箱罩板       | gear box cap tray            | 1           |            |
| 35         | GB/T5783-2000  | 螺栓M10×20    | Hex.head bolt M10×20         | 8           |            |
| 36         | 404G2-6.51.011 | 左中支架焊合件     | Left and middle bracket rest | 1           |            |
| 37         | 550.51C.204    | 扶手          | Banisters                    | 2           |            |
| 38         | 404G2-6.51.019 | 左挡泥板焊合件     | Left mud Shield              | 1           |            |
| 39         | GB/T6170-2000  | 螺母M16       | Hex. nut M16                 | 4           |            |
| 40         | GB/T93-1987    | 垫片16        | Spring lock washer 16        | 14          |            |
| 41         | GB/T97.1-2002  | 垫片16        | Plain washer 16              | 4           |            |
| 42         | GB/T5783-2000  | 螺栓M16×165   | Hex.head bolt M16×165        | 4           |            |
| 43         | 404G2-6.51.105 | 左后支板        | Left and back prop           | 1           |            |
| 44         | 404G2-6.51.021 | 左支架焊合件      | Left bracket rest            | 1           |            |
| 45         | 404G2-6.51.016 | 左封板焊合件      | Left close board             | 1           |            |
| 46         | 404G2-6.51.018 | 中立板焊合件      | Central board                | 1           |            |
| 47         | GB/T818-2000   | 螺钉M6×20     | ScrewsM6×20                  | 21          |            |
| 48         | 304G2.51.203   | 盖板          | Cover plate                  | 1           |            |
| 49         | GB/T5783-2000  | 螺栓M12×30    | Hex.head bolt M12×30         | 16          |            |

### 17.1 地板挡泥板总成 Foot Mud Shields Rest

续表

| 序号 Ser.No. | 代号 Part No.    | 名称及规格   | Name & Specifications                  | 数量 Quantity | 备注 Remarks |
|------------|----------------|---------|----------------------------------------|-------------|------------|
| 50         | GB/T97.1-2002  | 垫片12    | Plain washer 12                        | 16          |            |
| 51         | GB/T93-1987    | 垫片12    | Spring lock washer 12                  | 16          |            |
| 52         | GB/T6170-2000  | 螺母M12   | Hex. nut M12                           | 16          |            |
| 53         | 404G2-6.51.022 | 右支架焊合件  | Right bracket rest                     | 1           |            |
| 54         | 404G2-6.51.020 | 右挡泥板焊合件 | Right mud Shield                       | 1           |            |
| 55         | 404G2-6.51.017 | 右封板焊合件  | Right close board                      | 1           |            |
| 56         | 304G2-6.51.105 | 后封板右支架  | Right bracket rest of Back close board | 1           |            |
| 57         | 404G2-6.51.028 | 后封板焊合件  | Back close board                       | 1           |            |
| 58         | 304G2-6.51.031 | 挂钩组合件   | Suspender                              | 1           |            |
| 59         | 304G2-6.51.110 | 后封板左支架  | Left bracket rest of Back close board  | 1           |            |

## 17.2 地板挡泥板总成 (配驾驶室) Foot Mud Shields Rest (For the Cab)



## 17.2 地板挡泥板总成（配驾驶室） Foot Mud Shields Rest (For the Cab)

| 序号 Ser.No. | 代号 Part No.    | 名称及规格     | Name & Specifications    | 数量 Quantity | 备注 Remarks |
|------------|----------------|-----------|--------------------------|-------------|------------|
| 1          | GB/T5783-2000  | 螺栓M10×40  | Hex.head bolt M10×40     | 4           |            |
| 2          | GB/T97.1-2002  | 垫片10      | Plain washer 10          | 20          |            |
| 3          | GB/T93-1987    | 垫片10      | Spring lock washer 10    | 24          |            |
| 4          | GB/T6170-2000  | 螺母M10     | Hex. nut M10             | 16          |            |
| 5          | GB/T5783-2000  | 螺栓M16×35  | Hex.head bolt M16×35     | 10          |            |
| 6          | 304G2-6.51.011 | 左前支架焊合件   | Left Front bracket rest  | 1           |            |
| 7          | 254G2.51.108   | 橡胶嵌套      | Rudder nest              | 1           |            |
| 8          | 304G2-6.51.029 | 右前支架焊合件   | Right Front bracket rest | 1           |            |
| 9          | 1B17382×0001   | 后视镜       | Driving mirror           | 1           |            |
| 10         | 304G2-6.51.030 | 挡风玻璃组合件   | Windscreen               | 2           |            |
| 11         | 304G2-6.51.026 | 右框架焊合件    | Right frame              | 1           |            |
| 12         | 304G2-6.51.027 | 右车梯焊合件    | Right foot ladder        | 1           |            |
| 13         | 304G2-6.51.012 | 电瓶架焊合件    | Battery bracket          | 1           |            |
| 14         | 304G2-6.51.109 | 电瓶前盖板     | Front cover plate        | 1           |            |
| 15         | 304G2-6.51.025 | 左框架焊合件    | Left frame               | 1           |            |
| 16         | 254G2.51.022   | 电瓶压紧装置焊合件 | Battery bracket gag      | 1           |            |
| 17         | GB/T5783-2000  | 螺栓M10×30  | Hex.head bolt M10×30     | 8           |            |
| 18         | 254G2.51A.103  | 电瓶上防护板    | Defent board             | 1           |            |
| 19         | 404G2-6.51.103 | 左地板橡胶板    | Left rubber sheet        | 1           |            |
| 20         | GB/T6170-2000  | 螺母M6      | Hex. nut M6              | 10          |            |
| 21         | GB/T93-1987    | 垫片6       | Spring lock washer 6     | 38          |            |
| 22         | GB/T97.1-2002  | 垫片6       | Plain washer 6           | 38          |            |
| 23         | GB/T5783-2000  | 螺栓M6×20   | Hex.head bolt M6×16      | 19          |            |
| 24         | 304G2-6.50.103 | 橡皮塞       | rubber stopper           | 1           |            |
| 25         | GB/T5783-2000  | 螺栓M8×25   | Hex.head bolt M8×16      | 10          |            |

## 17.2 地板挡泥板总成(配驾驶室) Foot Mud Shields Rest (For the Cab)

续表


| 序号 Ser.No. | 代号 Part No.    | 名称及规格        | Name & Specifications        | 数量 Quantity | 备注 Remarks |
|------------|----------------|--------------|------------------------------|-------------|------------|
| 26         | GB/T97.1-2002  | 垫片8          | Plain washer 8               | 10          |            |
| 27         | GB/T93-1987    | 垫片8          | Spring lock washer 8         | 10          |            |
| 28         | GB/T6170-2000  | 螺母M8         | Hex. nut M8                  | 4           |            |
| 29         | 404G2-6.51.013 | 左地板焊合件       | Left floor                   | 1           |            |
| 30         | 404G2-6.51.014 | 右地板焊合件       | Right floor                  | 1           |            |
| 31         | 404G2-6.51.104 | 右地板橡胶板       | Right rubber sheet           | 1           |            |
| 32         | 304G2-6.51.023 | 右地板支架焊合件 (一) | Left floor gibbet ( I )      | 1           |            |
| 33         | 404G2-6.51.012 | 右后支架焊合件      | Right and back bracket rest  | 1           |            |
| 34         | 404G2-6.51.102 | 变速箱罩板        | gear box cap tray            | 1           |            |
| 35         | GB/T5783-2000  | 螺栓M10×20     | Hex.head bolt M10×20         | 8           |            |
| 36         | 404G2-6.51.011 | 左中支架焊合件      | Left and middle bracket rest | 1           |            |
| 37         | 550.51C.204    | 扶手           | Banisters                    | 2           |            |
| 38         | 404G2-6.51.019 | 左挡泥板焊合件      | Left mud Shield              | 1           |            |
| 39         | GB/T6170-2000  | 螺母M16        | Hex. nut M16                 | 4           |            |
| 40         | GB/T93-1987    | 垫片16         | Spring lock washer 16        | 14          |            |
| 41         | GB/T97.1-2002  | 垫片16         | Plain washer 16              | 4           |            |
| 42         | GB/T5783-2000  | 螺栓M16×165    | Hex.head bolt M16×165        | 4           |            |
| 43         | 404G2-6.51.105 | 左后支板         | Left and back prop           | 1           |            |
| 44         | 404G2-6.51.021 | 左支架焊合件       | Left bracket rest            | 1           |            |
| 45         | 404G2-6.51.016 | 左封板焊合件       | Left close board             | 1           |            |
| 46         | 404G2-6.51.018 | 中立板焊合件       | Central board                | 1           |            |
| 47         | GB/T818-2000   | 螺钉M6×20      | ScrewsM6×20                  | 19          |            |
| 48         | 304G2.51.203   | 盖板           | Cover plate                  | 1           |            |
| 49         | GB/T5783-2000  | 螺栓M12×30     | Hex.head bolt M12×30         | 16          |            |

## 17.2 地板挡泥板总成(配驾驶室) Foot Mud Shields Rest (For the Cab)

续表

| 序号 Ser.No. | 代号 Part No.    | 名称及规格   | Name & Specifications | 数量 Quantity | 备注 Remarks |
|------------|----------------|---------|-----------------------|-------------|------------|
| 50         | GB/T97.1-2002  | 垫片12    | Plain washer 12       | 16          |            |
| 51         | GB/T93-1987    | 垫片12    | Spring lock washer 12 | 16          |            |
| 52         | GB/T6170-2000  | 螺母M12   | Hex. nut M12          | 16          |            |
| 53         | 404G2-6.51.022 | 右支架焊合件  | Right bracket rest    | 1           |            |
| 54         | 404G2-6.51.020 | 右挡泥板焊合件 | Right mud Shield      | 1           |            |
| 55         | 404G2-6.51.017 | 右封板焊合件  | Right close board     | 1           |            |
| 56         | 404G2-6.51.028 | 后封板焊合件  | Back close board      | 1           |            |
| 57         | 304G2-6.51.031 | 挂钩组合件   | Suspender             | 1           |            |

# 18 电气系统总成 Electrical System





## 18 电气系统总成      Electrical System


| 序号 | Ser.No. | 代号             | Part No. | 名称及规格           | Name & Specifications           | 数量 | Quantity | 备注          | Remarks |
|----|---------|----------------|----------|-----------------|---------------------------------|----|----------|-------------|---------|
| 1  |         | 404G2-6.48.102 |          | S08前组合灯         | S08 head lamp                   | 1  |          |             |         |
| 2  |         | 254G2.48G.011  |          | 前线束             | Front wiring harness            | 1  |          |             |         |
| 3  |         | 6-QW-80L       |          | 免维护蓄电池          | Battery                         | 1  |          |             |         |
| 4  |         | 254G2.48G.014  |          | 蓄电池电缆线          | Battery cable                   | 1  |          |             |         |
| 5  |         | 254G2.48G.022  |          | 水温传感器           | Water temperature sensor        | 1  |          |             |         |
| 6  |         |                |          | 发电机             | Generator                       | 1  |          | From engine |         |
| 7  |         | 250D.48.101    |          | 电缆线接头护套         | Cable splice jacket             | 1  |          |             |         |
| 8  |         |                |          | 起动电机            | Starting motor                  | 1  |          | From engine |         |
| 9  |         | ZD300×8        |          | 可松开式锁式扎带        | Clingulum                       | 2  |          |             |         |
| 10 |         | 254G2.48G.024  |          | 转速传感器 (M18×1.5) | rotation speed senser (M18×1.5) | 1  |          |             |         |
| 11 |         | 254G2.48G.023  |          | 油压传感器           | Oil pressure sensor             | 1  |          |             |         |
| 12 |         | 10-12-55       |          | 电热塞             | Pre-heating plug                | 1  |          | From engine |         |
| 13 |         | 254G2.48G.020  |          | 组合仪表            | Combination meter               | 1  |          |             |         |
| 14 |         | AX102          |          | 保险丝盒            | Fuse box                        | 1  |          |             |         |
| 15 |         | FT111          |          | 电子调节器           | Voltage ragulater               | 1  |          |             |         |
| 16 |         | 304G2-6.48.012 |          | 主线束             | Main wiring harness             | 1  |          |             |         |
| 17 |         | ZD150×8        |          | 可松开式锁式扎带        | Clingulum                       | 10 |          |             |         |
| 18 |         | 350.48C.010    |          | 电熄火器总成          | Electrucity stop                | 1  |          |             |         |
| 19 |         | 200.48B.108    |          | 线夹              | Wire clip                       | 3  |          |             |         |
| 20 |         | JK938A         |          | 前照灯开关           | Head lamp switch                | 1  |          |             |         |
| 21 |         | JK938A         |          | 驻车闪光开关          | Parking flasher                 | 1  |          |             |         |
| 22 |         | JK938A         |          | 喇叭开关            | Horn swich                      | 1  |          |             |         |
| 23 |         | JK938A         |          | 左转向灯开关          | Left turning switch             | 1  |          |             |         |
| 24 |         | JK938A         |          | 右转向灯开关          | Right turning swich             | 1  |          |             |         |
| 25 |         | JK938A         |          | 后照灯开关           | Tail lamp switch                | 1  |          |             |         |

## 18 电气系统总成      Electrical System

续表

| 序号 Ser.No. | 代号 Part No.    | 名称及规格      | Name & Specifications        | 数量 Quantity | 备注 Remarks |
|------------|----------------|------------|------------------------------|-------------|------------|
| 26         | SG152          | 电子闪光器      | Flasher                      | 1           |            |
| 27         | 300.48B.107    | 起动开关标牌     | Starting scutcheon           | 1           |            |
| 28         | JK406B         | 预热起动开关     | Pre-heating starting switch  | 1           |            |
| 29         | 304G2-6.48.101 | 油量传感器      | Oil level sensor             | 1           |            |
| 30         | 254G2.48G.017  | 053型后照灯    | Tail lamp                    | 1           |            |
| 31         | 254G2.48G.019  | 052型组合后灯   | Combination rear signal lamp | 1           |            |
| 32         | JB1041         | 起动安全开关     | Security switch              | 1           |            |
| 33         | JK231B         | 制动灯开关      | Brakelight switch            | 1           |            |
| 34         | CX-1型          | 蓄电池电缆线护套   | Jacket                       | 2           |            |
| 35         | 1912型          | 起动继电器      | Starting relay               | 1           |            |
| 36         | 254G2.48G.018  | S116前转向灯   | Steering lamp                | 2           |            |
| 37         | 254G2.48G.025  | DL-124D电喇叭 | Electrucity horn             | 1           |            |
| 38         | AG-057         | 线卡         | Wire clip                    | 2           |            |


# 19 工具箱总成 Toolbox



## 19 工具箱总成 Toolbox

| 序号 Ser.No. | 代号 Part No.   | 名称及规格     | Name & Specifications | 数量 Quantity | 备注 Remarks |
|------------|---------------|-----------|-----------------------|-------------|------------|
| 1          | 450.49.001    | 工具箱       | Toolbox               | 1           |            |
| 2          | GB/T97.1-2002 | 垫圈 10     | Plain washer 10       | 2           |            |
| 3          | GB/T93-1987   | 垫圈 10     | Spring lock washer 10 | 2           |            |
| 4          | GB/T6170-2000 | 螺母 M10    | Hex. nut M10          | 2           |            |
| 5          | GB/T5783-2000 | 螺栓 M10×20 | Hex. head bolt M10×20 | 2           |            |


## 20 燃油箱总成 Fuel Tank



## 20 燃油箱总成 Fuel Tank

| 序号 Ser.No. | 代号 Part No.      | 名称及规格<br>Name & Specifications                | 数量 Quantity | 备注 Remarks |
|------------|------------------|-----------------------------------------------|-------------|------------|
| 1          | 300-6.50.014     | 油箱盖组合件<br>Fuel tank cap                       | 1           |            |
| 2          | 304G2-6.50.011-1 | 燃油箱合件<br>Fuel tank                            | 1           |            |
| 3          | GB3541-83        | 铰接螺栓M12×1.25<br>Hollow hex.head bolt M12×1.25 | 1           |            |
| 4          | GB3541-83        | 垫圈12<br>Washer 12                             | 3           |            |
| 5          | GB/T5783-2000    | 螺栓M8×40<br>Hex. head bolt M8×40               | 4           |            |
| 6          | GB/T93-1987      | 垫圈8<br>Spring lock washer8                    | 8           |            |
| 7          | 304G2-6.50.101   | 油箱垫圈<br>Washer                                | 4           |            |
| 8          | 404G2-6.50.011   | 油箱输油管总成<br>Fuel delivery pipe                 | 1           |            |
| 9          | 304G2-6.50.102   | 橡胶垫<br>Rubber pad                             | 2           |            |
| 10         | GB/T5783-2000    | 螺栓M8×20<br>Hex. head bolt M8×20               | 4           |            |
| 11         | GB/T6170-2000    | 螺母M8<br>Hex. nut M8                           | 4           |            |
| 12         | 304G2-6.50.103   | 隔板<br>Baffle wall                             | 1           |            |
| 13         | 304G2-6.50.014   | 支撑架焊合件<br>Backing frame                       | 1           |            |
| 14         | GB/T93-1987      | 垫圈10<br>Spring lock washer 10                 | 4           |            |
| 15         | GB/T5783-2000    | 螺栓M10×25<br>Hex. head bolt M10×25             | 4           |            |

## 21 悬挂装置总成 Suspension Mechanism



## 21 悬挂装置总成    Suspension Mechanism

| 序号 Ser.No. | 代号 Part No.     | 名称及规格<br>Name & Specifications             | 数量 Quantity | 备注 Remarks |
|------------|-----------------|--------------------------------------------|-------------|------------|
| 1          | 200.56.016      | 上拉杆连接销总成<br>Coupling pin of upper link     | 2           |            |
| 2          | 300.56.020-1    | 上拉杆后调节杆总成<br>Upper link rear adjusting rod | 1           |            |
| 3          | 300.56.030-1    | 下拉杆焊合件<br>Lower link weldment              | 2           |            |
| 4          | 300.56.109      | 环形螺钉<br>Spring                             | 2           |            |
| 5          | 300.56.016      | 限位链后叉焊合件<br>Rear check chain               | 2           |            |
| 6          | 300.56.104      | 调节套管<br>Adjust sleeve                      | 2           |            |
| 7          | 300.56.011      | 锁销组合件<br>Kock pin                          | 2           |            |
| 8          | 300.56.015      | 限位链前叉焊合件<br>Front check chain              | 2           |            |
| 9          | GB/T882 -1986   | 销 14×55<br>Clevis pin with head 14×55      | 4           |            |
| 10         | GB/T97.1-2002   | 垫圈 14<br>Plain washer 14                   | 4           |            |
| 11         | GB/T91-2000     | 开口销 4×25<br>Split pin 4×25                 | 4           |            |
| 12         | GB/T97.1-2002   | 垫圈 16<br>Plain washer 16                   | 4           |            |
| 13         | GB/T882-1986    | 销轴 B16×55<br>Clevis pin with head B16×55   | 2           |            |
| 14         | 200.56.101-1    | R销<br>R-pin                                | 2           |            |
| 15         | 300.56.029-1    | 左前限位链焊合件<br>Left-front check chain         | 1           |            |
| 16         | 300.56.024-1    | 提升杆下吊耳焊合件<br>Lower clevis of lift rod      | 2           |            |
| 17         | JB/T7940.1-1995 | 油杯 M10×1<br>Grease nipple M10×1            | 2           |            |
| 18         | 300.56.150      | 提升螺管<br>Lift rod upper clevis              | 2           |            |
| 19         | GB/T6173-2000   | 螺母 M20×2<br>Hex.nut M20×2                  | 2           |            |
| 20         | GB/T91-2000     | 销 3.2×26<br>Split pin 3.2×26               | 2           |            |
| 21         | 300.56.022-1    | 提升杆上吊耳焊合件<br>Lift rod up clevis            | 2           |            |
| 22         | GB/T882 -1986   | 销 16×80<br>Clevis pin with head 16×80      | 2           |            |
| 23         | 300.56.113      | 提升杆十字接头<br>Cross joint of lift rod         | 2           |            |
| 24         | 200.56.011      | 锁销组合件<br>Kock pin                          | 2           |            |
| 25         | 300.56.026-1    | 右前限位链焊合件<br>Right-front check chain        | 1           |            |




## 21 悬挂装置总成 Suspension Mechanism

续表

| 序号 Ser.No. | 代号 Part No.   | 名称及规格     | Name & Specifications          | 数量 Quantity | 备注 Remarks |
|------------|---------------|-----------|--------------------------------|-------------|------------|
| 26         | 200.56.103    | 下拉杆连接轴    | Lower link shaft               | 1           |            |
| 27         | 300.56.018-1  | 上拉杆前调节杆总成 | Upper link front adjusting rod | 1           |            |
| 28         | GB6170-86     | 六角螺母 M24  | Hex .nut M24                   | 1           |            |
| 29         | 280.56.016    | 调节螺管焊合件   | Turn buckle of upper link      | 1           |            |
| 30         | 300.57.157    | 圆板        | Round plate                    | 1           |            |
| 31         | GB/T93-1987   | 垫圈 16     | Spring lock washer 16          | 2           |            |
| 32         | GB/T6170-2000 | 螺母 M16    | Hex.nut M16                    | 2           |            |

## 22.1 分配器总成 Hydraulic Oil Distributor



## 22.1 分配器总成    Hydraulic Oil Distributor


| 序号 Ser.No. | 代号 Part No.     | 名称及规格      | Name & specifications     | 数量 Quantity | 备注 Remarks |
|------------|-----------------|------------|---------------------------|-------------|------------|
| 1          | GB/T5783-2000   | 螺栓 M6×20   | Hex. head bolt M6×20      | 4           |            |
| 2          | GB/T97.1-2002   | 垫圈 6       | Plain washer 6            | 8           |            |
| 3          | 200.55.131      | 端盖         | End cover                 | 1           |            |
| 4          | 200.55.132      | 端盖纸垫       | Paper gasket              | 1           |            |
| 5          | GB3289.31-82    | 外方管堵R1/4   | Square head oil plug R1/4 | 1           |            |
| 6          | 200.55.126-A    | 分配器壳体      | Distributor body          | 1           |            |
| 7          | GB/T93-1987     | 垫圈 8       | Spring lock washer 8      | 3           |            |
| 8          | GB/T70.1-2000   | 螺钉M8×25    | Hex.socked cap screwM8×25 | 2           |            |
| 9          | GB/T5781-2000   | 螺栓M8×75    | Hex. head bolt M8×75      | 1           |            |
| 10         | GB/T880-1986    | 销6×30      | Pin 6×30                  | 1           |            |
| 11         | GB/T91-2000     | 销1.6×10    | Split pin 1.6×10          | 2           |            |
| 12         | 200.55.128      | 拨叉         | Fork                      | 1           |            |
| 13         | GB/T3452.1-1992 | O形圈15×2.65 | O-ring seal 15×2.65       | 1           |            |
| 14         | 200.55.018-1    | 手柄焊合件      | Handle assy               | 1           |            |
| 15         | 200.55.149      | 塑料把        | Handle                    | 1           |            |
| 16         | 200.55.130      | 定位螺钉       | Positioning bolt          | 1           |            |
| 17         | GB3541-83       | 垫圈14       | Copper washer 14          | 1           |            |
| 18         | 200.55.135      | 定位弹簧       | Positioning spring        | 1           |            |
| 19         | GB/T5783-2000   | 螺栓M6×60    | Hex. head bolt M6×60      | 1           |            |
| 20         | GB/T308-2002    | 钢球9.5      | Steel ball 9.5            | 1           |            |
| 21         | 200.55.123      | 拨叉盒        | Fork box                  | 1           |            |
| 22         | 200.55.125      | 拨叉盒纸垫      | Paper gasket              | 1           |            |
| 23         | 200.55.127      | 操纵阀        | Sliding valve             | 1           |            |
| 24         | GB/T879.1-2000  | 销6×22      | Slotted spring pin 6×22   | 1           |            |
| 25         | GB/T3452.1-1992 | O形圈15×2.65 | O-ring seal 15×2.65       | 1           |            |

## 22.1 分配器总成 Hydraulic Oil Distributor

续表:

| 序号 Ser.No. | 代号 Part No.     | 名称及规格        | Name & specifications | 数量 Quantity | 备注 Remarks |
|------------|-----------------|--------------|-----------------------|-------------|------------|
| 26         | GB/T3452.1-1992 | O形圈10.6×2.65 | O-ring seal 10.6×2.65 | 1           |            |
| 27         | 200.55.138      | 垫块           | Pad                   | 1           |            |
| 28         | GB/T308-2002    | 钢球9          | Steel ball dia.9      | 1           |            |
| 29         | 200.55.137      | 球座           | Ball seat             | 1           |            |
| 30         | 200.55.136      | 套管           | Sleeve                | 1           |            |
| 31         | 200.55.135      | 安全阀弹簧        | Safety valve Spring   | 1           |            |
| 32         | 200.55.134      | 调节垫片         | Adjusting shims       | 2~5         |            |
| 33         | 200.55.133      | 螺塞           | Plug                  | 1           |            |

## 22.2 提升器总成 Hydraulic Power Lift



## 22.2 提升器总成    Hydraulic Power Lift

| 序号 Ser.No. | 代号 Part No.     | 名称及规格         | Name & Specifications         | 数量 Quantity | 备注 Remarks |
|------------|-----------------|---------------|-------------------------------|-------------|------------|
| 1          | GB/T5783-2000   | 螺栓 M10×25     | Hex. head bolt M10×25         | 2           |            |
| 2          | GB/T93-1987     | 垫圈 10         | Spring washer 10              | 6           |            |
| 3          | 200.55.105      | 提升臂销          | Lift arm pin                  | 2           |            |
| 4          | GB/T93-1987     | 垫圈 16         | Spring washer 16              | 2           |            |
| 5          | GB/T6170-2000   | 螺母 M16        | Hex. nut M16                  | 2           |            |
| 6          | GB/T93-1987     | 垫圈 14         | Spring washer 14              | 4           |            |
| 7          | GB/T5782-2000   | 螺栓 M14×45     | Hex. head bolt M14×60         | 4           |            |
| 8          | 300.55.114-1    | 油缸盖           | Cylinder cover                | 1           |            |
| 9          | 300.55.125      | 调节阀           | adjust valve                  | 1           |            |
| 10         | GB/T3452.1-1992 | O形密封圈11.8×1.8 | O-ring seal 11.8×1.8          | 2           |            |
| 11         | GB/T119.1-2000  | 销4×12         | Pin4×12                       | 1           |            |
| 12         | 300.55.127      | 调节阀杆下端        | The lower end of adjust valve | 1           |            |
| 13         | GB/T879.1-2000  | 销4×16         | Pin4×16                       | 1           |            |
| 14         | 300.55.122      | 调节阀杆上端        | The lower top of adjust valve | 1           |            |
| 15         | GB/T879.1-2000  | 销5×24         | Pin5×24                       | 1           |            |
| 16         | 300.55.124      | 垫圈30          | Spring washer 30              | 1           |            |
| 17         | 300.55.130      | 阀杆螺母          | Valve -pole nut               | 1           |            |
| 18         | 300.55.020      | 手轮胶合件         | Handwheel assy                | 1           |            |
| 19         | GB/T97.1-2002   | 垫圈 8          | Plain washer 8                | 1           |            |
| 20         | GB/T91-2000     | 销 2×16        | Split pin 2×16                | 2           |            |
| 21         | 200.55.013      | 联动杆焊合件        | Linkage rod                   | 1           |            |
| 22         | 200.55.119-1    | 挡块            | Limit spot                    | 2           |            |
| 23         | GB/T6170-2000   | 螺母 M8         | Hex. nut M8                   | 4           |            |
| 24         | GB/T5783-2000   | 螺栓 M8×25      | Hex. head bolt M8×25          | 2           |            |
| 25         | 300-6.55.106    | 外提升臂          | Lift arm                      | 2           |            |

## 22.2 提升器总成 Hydraulic Power Lift

续表

| 序号 Ser.No. | 代号 Part No.     | 名称及规格          | Name & Specifications   | 数量 Quantity | 备注 Remarks |
|------------|-----------------|----------------|-------------------------|-------------|------------|
| 26         | 200.55.107      | 压板             | Clamping plate          | 2           |            |
| 27         | GB/T3452.1-1992 | O形密封圈 10.6×1.8 | O-ring seal 10.6×1.8    | 1           |            |
| 28         | GB/T3452.1-1992 | O形密封圈 92.5×5.3 | O-ring seal 92.5×5.3    | 1           |            |
| 29         | 300.55.115      | 油缸             | Cylinder                | 1           |            |
| 30         | 300.55.101-2    | 提升器壳体          | Lift case               | 1           |            |
| 31         | 200.55.111-2    | 通气螺塞           | Vent tube               | 1           |            |
| 32         | 200.55.102      | 隔套             | Spacer sleeve           | 2           |            |
| 33         | 200.55.103-1    | 衬套             | Bush                    | 2           |            |
| 34         | GB/T3542.1-1992 | O形密封圈 38.7×5.3 | O-ring seal 38.7×5.3    | 2           |            |
| 35         | 200.55.104      | 隔套             | Spacer sleeve           | 2           |            |
| 36         | 200.55.120      | 联动销            | Linkage pin             | 1           |            |
| 37         | GB/T97.1-2002   | 垫圈 10          | Plain washer 10         | 1           |            |
| 38         | GB/T91-2000     | 销 3.2×20       | Split pin 3.2×20        | 1           |            |
| 39         | 200.55.014      | 拨盘焊合件          | Driven plate            | 1           |            |
| 40         | 200.55.122      | 挡盘             | Retainer plate          | 1           |            |
| 41         | 200.55.121      | 扭簧             | Torsion spring          | 1           |            |
| 42         | 200.55.016      | 传动盘焊合件         | Drive plate weldment    | 1           |            |
| 43         | GB/T5783-2000   | 螺栓 M10×30      | Hex. head bolt M10×30   | 4           |            |
| 44         | GB/T93-1987     | 垫圈 10          | Spring washer 10        | 4           |            |
| 45         | 300.55.024      | 右挂接板焊合件        | Right Hitching plate    | 1           |            |
| 46         | 300.55.025      | 左挂接板焊合件        | Left Hitching plate     | 1           |            |
| 47         | 300.55.132-1    | 内提升臂           | Inner lift arm          | 1           |            |
| 48         | GB/T879.1-2000  | 销 6×50         | Slotted spring pin 6×50 | 1           |            |
| 49         | 200.55.109      | 活塞顶杆           | Piston push rod         | 1           |            |


## 22.2 提升器总成 Hydraulic Power Lift

续表

| 序号 Ser.No. | 代号 Part No.     | 名称及规格<br>Name & Specifications       | 数量 Quantity | 备注 Remarks |
|------------|-----------------|--------------------------------------|-------------|------------|
| 50         | 300.55.117      | YX形密封圈 D80<br>YX-seal D80            | 1           |            |
| 51         | 300.55.116      | 活塞<br>Piston                         | 1           |            |
| 52         | GB/T3452.1-1992 | O形密封圈 73×3.55<br>O-ring seal 73×3.55 | 1           |            |
| 53         | 300.55.135      | 提升轴<br>Lift shaft                    | 1           |            |



## 23 滤油器油泵油管总成 Oil pump, Filter, Pipe and Fittings



### 23 滤油器油泵油管总成 Oil Pump, Filter, Pipe and Fittings


| 序号 Ser.No. | 代号 Part No.     | 名称及规格          | Name & Specifications           | 数量 Quantity | 备注 Remarks     |
|------------|-----------------|----------------|---------------------------------|-------------|----------------|
| 1          | 404G2-6.58.019  | 多路阀进油管后段焊合件    | Inlet pipe weldment, rear part  | 1           | 左旋 Left circle |
| 2          | 254-5.58.013    | 软管总成           | Hose assy                       | 1           |                |
| 3          | 304G2-6.58.017  | 多路阀进油管前段焊合件    | Inlet pipe weldment, front part | 1           |                |
| 4          | GB/T3452.1-1992 | O型圈 18×2.65    | O-ring seal 18×2.65             | 2           |                |
| 5          | GB/T6170-2000   | 螺母 M8          | Hex. nut M8                     | 2           |                |
| 6          | YX0811A-0000    | 液压油滤清器总成       | Filter                          | 1           |                |
| 7          | JB982-1977      | 垫圈 22          | Washer 22                       | 4           |                |
| 8          | 404B.58.011     | 油泵吸油管焊合件       | Suction pipe assy of gear pump  | 3           |                |
| 9          | 320.58.108      | 铰接螺栓 M22×1.5   | Hollow bolt M22×1.5             | 2           |                |
| 10         | GB/T5783-2000   | 螺栓 M8×45       | Hex. head bolt M8×45            | 3           |                |
| 11         | GB/T93-1987     | 垫圈 8           | Spring lock washer 8            | 15          |                |
| 12         | 300.58.102      | 紧固螺栓           | Fastening bolt                  | 1           |                |
| 13         | CBN-E310B       | 齿轮泵            | Gear pump                       | 1           |                |
| 14         | GB/T5783-2000   | 螺栓 M8×35       | Hex. head bolt M8×35            | 3           |                |
| 15         | GB/T5783-2000   | 螺栓 M8×40       | Hex. head bolt M8×40            | 3           |                |
| 16         | GB/T5783-2000   | 螺栓 M8×25       | Hex. head bolt M8×25            | 4           |                |
| 17         | GB/T97.1-2002   | 垫圈 8           | Spring lock washer 8            | 4           |                |
| 18         | GB/T5783-2000   | 螺栓 M10×20      | Hex. head bolt M10×20           | 2           |                |
| 19         | GB/T93-1987     | 垫圈 10          | Spring lock washer 10           | 2           |                |
| 20         | GB/T97.1-2002   | 垫圈 10          | Spring lock washer 10           | 2           |                |
| 21         | 404B.58.102     | 滤清器支架          | Filter plank                    | 1           |                |
| 22         | 404G2-6.58.015  | 滤清器进油管焊合件 (二)  | Filter inlet pipe weldment (2)  | 1           |                |
| 23         | 404B.58D.120-1  | 固定夹            | Fixed clip                      | 4           |                |
| 24         | HG4-761-74      | 输油胶管 22×32×270 | Hose 22×32×270                  | 1           |                |

## 23 滤油器油泵油管总成 Oil Pump, Filter, Pipe and Fittings

续表

| 序号 Ser.No. | 代号 Part No.    | 名称及规格        | Name & Specifications         | 数量 Quantity | 备注 Remarks |
|------------|----------------|--------------|-------------------------------|-------------|------------|
| 25         | JB/T8870-1999  | 喉箍 2A（25-38） | Hoop 2A （25-38）               | 2           |            |
| 26         | 304G2-6.58.013 | 滤清器进油管焊合件（一） | Filter inlet pipe weldment(1) | 1           |            |
| 27         | 304.58A.101    | 纸垫           | Paper gasket                  | 1           |            |
| 28         | GB/T5783-2000  | 螺栓 M8×55     | Hex. head bolt M8×55          | 2           |            |
| 29         | JB982-1977     | 垫圈 14        | Washer 14                     | 2           |            |
| 30         | 200.55.124     | 空心螺栓 M14×1.5 | Hollow bolt M14×1.5           | 2           |            |

## 24 前驱动桥总成(中) Front Drive Axles (Middle)



## 24 前驱动桥总成(中) Front Wheel Drive Axle ( middle )


| 序号 Ser.No. | 代号 Part No.     | 名称及规格         | Name & Specifications       | 数量 Quantity | 备注 Remarks                       |
|------------|-----------------|---------------|-----------------------------|-------------|----------------------------------|
| 1          | GB/T5783-2000   | 螺栓 M6×12      | Hex. head bolt M6×12        | 4           |                                  |
| 2          | GB/T93-1987     | 垫圈 6          | Spring lock washer 6        | 4           |                                  |
| 3          | JB/T7940.1-1995 | 油杯 M10×1      | Grease cup M10×1            | 2           |                                  |
| 4          | 304.31.019      | 前支座端盖组合件      | End cover of front pedestal | 1           |                                  |
| 5          | 304.31.122      | 端盖垫片          | End cover gasket            | 1           |                                  |
| 6          | GB/T6170-2000   | 螺母 M16        | Hex. nut M16                | 4           |                                  |
| 7          | GB/T93-1987     | 垫圈 16         | Spring lock washer 16       | 4           |                                  |
| 8          | 304.31.220-2    | 前支座           | Front pedestal              | 1           |                                  |
| 9          | GB/T27-1988     | 螺栓 M16×65     | Hex. head bolt M16×65       | 4           |                                  |
| 10         | 304.31.219-1    | 前支座衬套         | Front pedestal bush         | 1           |                                  |
| 11         | 304.31.123-1    | 前摆轴垫片         | Shims for front swing axle  | 1组 one set  | 1组每种各1片<br>One pcs for each size |
| 12         | GB/T3452.1-1992 | O型圈 65×2.65   | O-ring seal 65×2.65         | 1           |                                  |
| 13         | ZB T32003-88    | 碗形塞片 24       | Casing cap                  | 1           |                                  |
| 14         | GB/T5786-2000   | 螺栓 M12×1.5×35 | Hex. head bolt M12×1.5×35   | 8           |                                  |
| 15         | GB/T93-1987     | 垫圈 12         | Spring lock washer 12       | 24          |                                  |
| 16         | 304.31.124-2    | 前摆轴           | Front swing axle            | 1           |                                  |
| 17         | GB/T3452.1-1992 | O型圈 69×3.55   | O-ring seal 69×3.55         | 1           |                                  |
| 18         | 304.31.116-2    | 主传动壳体         | Main drive case             | 1           |                                  |
| 19         | 200.38.024      | 放油螺塞总成        | Oil drain plug              | 1           |                                  |
| 20         | 12.37.149       | 组合密封垫圈        | Combined seal washer        | 3           |                                  |
| 21         | 304.31.125-1    | 轴承座垫片         | Shims for bearing seat      | 1组 one set  | 1组每种各2片<br>Two pcs for each size |
| 22         | 304.31.022-1    | 主动锥齿轮总成       | Bevel drive pinion assembly | 1           |                                  |
| 23         | 304.31.222-2    | 后支座           | Rear pedestal               | 1           |                                  |

## 24 前驱动桥总成(中) Front Wheel Drive Axle ( middle )

续表

| 序号 Ser.No. | 代号 Part No.     | 名称及规格         | Name & Specifications            | 数量 Quantity | 备注 Remarks                       |
|------------|-----------------|---------------|----------------------------------|-------------|----------------------------------|
| 24         | 304.31.221-1    | 后支座衬套         | Rear pedestal bush               | 1           |                                  |
| 25         | GB3452.1-82     | O型圈 69×2.65   | O-ring seal 69×2.65              | 1           |                                  |
| 26         | 304.31.126      | 后支座盖垫片        | Gasket for end cover             | 1           |                                  |
| 27         | 304.31.127-1    | 后支座盖          | End cover of rear pedestal       | 1           |                                  |
| 28         | GB/T93-1987     | 垫圈 8          | Spring lock washer 8             | 4           |                                  |
| 29         | GB/T5783-2000   | 螺栓 M8×25      | Hex. Head bolt M8×25             | 4           |                                  |
| 30         | GB/T3452.1-1992 | O型圈 48.7×3.55 | O-ring seal 48.7×3.55            | 1           |                                  |
| 31         | 304.31.128-1    | 立轴套管垫片        | Gasket for Upright shaft housing | 2           |                                  |
| 32         | GB/T5783-2000   | 螺栓 M10×35     | Hex. head bolt M10×35            | 20          |                                  |
| 33         | GB/T93-1987     | 垫圈10          | Spring lock washer 10            | 20          |                                  |
| 34         | 304.31.013-1    | 量油尺合件         | Oil dipstick                     | 1           |                                  |
| 35         | GB/T5783-2000   | 螺栓 M12×35     | Hex. head bolt M12×35            | 16          |                                  |
| 36         | 304.31.233-1    | 左半轴套管         | Left half shaft housing          | 1           |                                  |
| 37         | GB/T3452.1-1992 | O型圈 160×3.55  | O-ring seal 160×3.55             | 2           |                                  |
| 38         | 304.31.117-1    | 主传动壳体垫片       | Shims for main drive case        | 2组 two set  | 1组每种各2片<br>Two pcs for each size |
| 39         | 304.31.014A     | 差速器总成         | Differential assembly            | 1           |                                  |
| 40         | GB/T119.1-2000  | 销 A10×20      | Straight pin A10×20              | 2           |                                  |
| 41         | 304.31.115-1    | 右半轴套管         | Right half shaft housing         | 1           |                                  |
| 42         | GB/T119.1-2000  | 销 A10×16      | Straight pin A10×16              | 2           |                                  |
| 43         | 304.31.118-1    | 通气螺塞          | Vent plug                        | 1           |                                  |
| 44         | 304.31.119-1    | 通气管           | Vent pipe                        | 1           |                                  |
| 45         | 304.31.234      | 转向油缸座         | Power steering cylinder bracket  | 1           |                                  |

## 25 前驱动桥总成(左边减速) Front Drive Axle(Left Side-Slowdown)



## 25 前驱动桥总成（左边减速） Front Wheel Drive Axle ( Left Side-Slowdown )

| 序号 Ser.No. | 代号 Part No.    | 名称及规格<br>Name & Specifications               | 数量 Quantity | 备注 Remarks |
|------------|----------------|----------------------------------------------|-------------|------------|
| 1          | GB/T6176-2000  | 螺母 M18×1.5<br>Hex. nut M18×1.5               | 2           |            |
| 2          | GB/T93-1987    | 垫圈 18<br>Spring lock washer 18               | 6           |            |
| 3          | 304.31.179     | 螺柱<br>Double screw bolt                      | 2           |            |
| 4          | GB/T5786-2000  | 螺栓 M18×1.5×35<br>hex. head bolt M18×1.5×35   | 4           |            |
| 5          | 304.31.101-2   | 驱动轴<br>Drive shaft                           | 1           |            |
| 6          | HG4-692-67     | 油封 W50×72×7<br>Oil-seal W50×72×7             | 2           |            |
| 7          | HG4-692-67     | 油封 PD50×72×12<br>Oil-seal PD50×72×12         | 2           |            |
| 8          | GB/T5783-2000  | 螺栓 M10×30<br>Hex. head bolt M10×30           | 20          |            |
| 9          | GB/T93-1987    | 垫圈 10<br>Spring lock washer 10               | 26          |            |
| 10         | 304.31.104-3   | 驱动轴盖<br>Drive shaft cover                    | 1           |            |
| 11         | GB/T276-1994   | 轴承 6209<br>Ball bearing 6209                 | 1           |            |
| 12         | 304.31.102-2   | 驱动轴固定圈<br>Fixing ring of drive shaft         | 2           |            |
| 13         | 304.31.103-2   | 驱动轴垫圈<br>Drive shaft sleeve                  | 1           |            |
| 14         | 304.31.132-2   | 末减速被动齿轮<br>Driven bevel gear of final drive  | 1           |            |
| 15         | GB/T276-1994   | 轴承 6207<br>Ball bearing 6207                 | 1           |            |
| 16         | 304.31.105-1   | 驱动轴盖垫片<br>Gasket for drive shaft cover       | 1           |            |
| 17         | 304.31.228-4   | 左边减速壳体<br>Left final drive housing           | 1           |            |
| 18         | GB/T119.1-2000 | 销 A10×28<br>Straight pin A10×28              | 2           |            |
| 19         | 304.30.130     | 毛毡圈<br>Felt washer                           | 1           |            |
| 20         | 304.31.217-1   | 边减速壳体衬套<br>Final drive housing bushing       | 1           |            |
| 21         | GB/T301-1995   | 轴承 51106<br>Thrust ball bearing 51106        | 1           |            |
| 22         | 304.31.131-2   | 末减速主动齿轮<br>Driving bevel gear of final drive | 1           |            |
| 23         | 304.31.140     | 隔套<br>Spacer                                 | 1           |            |
| 24         | 304.31.107-3   | 立轴<br>Upright shaft                          | 1           |            |
| 25         | GB/T276-1994   | 轴承 6305<br>Ball bearing 6305                 | 1           |            |



## 25 前驱动桥总成（左边减速） Front Wheel Drive Axle ( Left Side-Slowdown )

续表


| 序号 Ser.No. | 代号 Part No.     | 名称及规格         | Name & Specifications                | 数量 Quantity | 备注 Remarks                       |
|------------|-----------------|---------------|--------------------------------------|-------------|----------------------------------|
| 26         | 304.31.139      | 末端传动调整垫片      | Adjusting shims for final drive      | 1组 one set  | 1组每种各2片<br>Two pcs for each size |
| 27         | GB/T3452.1-1992 | O形圈 56×2.65   | O-ring seal 56×2.65                  | 1           |                                  |
| 28         | 304.31.137-2    | 下轴承盖          | Lower bearing cover                  | 1           |                                  |
| 29         | 12.37.149       | 组合密封垫圈        | Combined seal washer                 | 1           |                                  |
| 30         | 200.38.024      | 放油螺塞总成        | Oil drain plug                       | 1           |                                  |
| 31         | JB7940.1-1995   | 油杯 M10×1      | Grease cup M10×1                     | 1           |                                  |
| 32         | 304.31.201-3    | 左转向臂          | Left steering arm                    | 1           |                                  |
| 33         | 304.31.202-1    | 联接转向臂衬套       | Steering arm bushing                 | 1           |                                  |
| 34         | GB/T5783-2000   | 螺栓 M12×40     | Hex. head bolt M12×40                | 4           |                                  |
| 35         | GB/T93-1987     | 垫圈 12         | Spring lock washer 12                | 4           |                                  |
| 36         | GB/T5783-2000   | 螺栓 M10×25     | Hex. head bolt M10×25                | 7           |                                  |
| 37         | GB/T3452.1-1992 | O型圈 34.5×2.65 | O-ring seal 34.5×2.65                | 1           |                                  |
| 38         | 304.31.111-3    | 上轴承盖          | Upper bearing cover                  | 1           |                                  |
| 39         | GB/T3452.1-1992 | O形圈 85×2.65   | O-ring seal 85×2.65                  | 1           |                                  |
| 40         | 304.31.133      | 中间传动调整垫片      | Adjusting shims for the first drive  | 1组 one set  | 1组每种各2片<br>Two pcs for each size |
| 41         | GB/T276-1994    | 轴承 6011       | Ball bearing 6011                    | 1           |                                  |
| 42         | 304.31.138      | 锁紧垫片          | Lock washer                          | 1           |                                  |
| 43         | 304.31.110-1    | 立轴挡圈          | Blocking ring of upright shaft       | 1           |                                  |
| 44         | 304.31.112-2    | 调整垫片          | Adjusting shims                      | 1组 one set  | 1组每种各2片<br>Two pcs for each size |
| 45         | 304.31.113-1    | 中间传动被动齿轮      | Driven bevel gear of the first drive | 1           |                                  |
| 46         | 304.31.108-3    | 立轴套管          | Upright shaft housing                | 1           |                                  |

## 25 前驱动桥总成（左边减速） Front Wheel Drive Axle ( Left Side-Slowdown )

续表

| 序号 Ser.No. | 代号 Part No.    | 名称及规格<br>Name & Specifications                   | 数量 Quantity | 备注 Remarks |
|------------|----------------|--------------------------------------------------|-------------|------------|
| 47         | GB/T119.1-2000 | 销 A10×20<br>Straight pin A10×20                  | 1           |            |
| 48         | 304.31.129-1   | 中间传动主动齿轮<br>Driving bevel gear of the first driv | 1           |            |
| 49         | GB/T276-1994   | 轴承 6208<br>Ball bearing 6208                     | 1           |            |
| 50         | 304.31.114-2   | 半轴<br>Half shaft                                 | 1           |            |
| 51         | 404B.31.110    | 左梯形臂<br>Left steering trapezoid arm              | 1           |            |
| 52         | 450.31.024-1   | 拉杆接头总成(左)<br>Linkage ball joint (Left)           | 1           |            |
| 53         | GB/T6173-2000  | 螺母 M18×1.5-左<br>Hex.thin nut M18×1.5-Left        | 1           |            |
| 54         | 404B.31.105    | 横拉杆<br>Steering tie rod                          | 1           |            |
| 55         | GB/T6173-2000  | 螺母 M18×1.5<br>Hex.thin nut M18×1.5               | 1           |            |
| 56         | 450.31.026-1   | 拉杆接头总成(右)<br>Linkage ball joint (Right)          | 1           |            |
| 57         | GB/T6181-1986  | 螺母 M14<br>Hex. thin slotted nut M14              | 2           |            |
| 58         | GB/T91-2000    | 销 3.2×22<br>Split pin 3.2×22                     | 2           |            |

## 26 前驱动桥总成(右边减速) Front Drive Axle (Right Side-Slowdown)



## 26 前驱动桥总成（右边减速）Front Wheel Drive Axle ( Right side-Slowdown )

| 序号 Ser.No. | 代号 Part No.    | 名称及规格         | Name & Specifications             | 数量 Quantity | 备注 Remarks |
|------------|----------------|---------------|-----------------------------------|-------------|------------|
| 1          | GB/T6176-2000  | 螺母 M18×1.5    | Hex. nut M18×1.5                  | 2           |            |
| 2          | GB/T93-1987    | 垫圈 18         | Spring lock washer 18             | 6           |            |
| 3          | 304.31.179     | 螺柱            | Double screw bolt                 | 2           |            |
| 4          | GB/T5786-2000  | 螺栓 M18×1.5×35 | hex. head bolt M18×1.5×35         | 4           |            |
| 5          | 304.31.101-2   | 驱动轴           | Drive shaft                       | 1           |            |
| 6          | HG4-692-67     | 油封 W50×72×7   | Oil-seal W50×72×7                 | 2           |            |
| 7          | HG4-692-67     | 油封 PD50×72×12 | Oil-seal PD50×72×12               | 2           |            |
| 8          | GB/T5783-2000  | 螺栓 M10×30     | Hex. head bolt M10×30             | 20          |            |
| 9          | GB/T93-1987    | 垫圈 10         | Spring lock washer 10             | 26          |            |
| 10         | 304.31.104-3   | 驱动轴盖          | Drive shaft cover                 | 1           |            |
| 11         | GB/T276-1994   | 轴承 6209       | Ball bearing 6209                 | 1           |            |
| 12         | 304.31.102-2   | 驱动轴固定圈        | Fixing ring of drive shaft        | 2           |            |
| 13         | 304.31.103-2   | 驱动轴垫圈         | Drive shaft sleeve                | 1           |            |
| 14         | 304.31.132-2   | 末减速被动齿轮       | Driven bevel gear of final drive  | 1           |            |
| 15         | GB/T276-1994   | 轴承 6207       | Ball bearing 6207                 | 1           |            |
| 16         | 304.31.105-1   | 驱动轴盖垫片        | Gasket for drive shaft cover      | 1           |            |
| 17         | 304.31.216-4   | 右边减速壳体        | Right final drive housing         | 1           |            |
| 18         | GB/T119.1-2000 | 销 A10×28      | Straight pin A10×28               | 2           |            |
| 19         | 304.30.130     | 毛毡圈           | Felt washer                       | 1           |            |
| 20         | 304.31.217-1   | 边减速壳体衬套       | Final drive housing bushing       | 1           |            |
| 21         | GB/T301-1995   | 轴承 51106      | Thrust ball bearing 51106         | 1           |            |
| 22         | 304.31.131-2   | 末减速主动齿轮       | Driving bevel gear of final drive | 1           |            |
| 23         | 304.31.140     | 隔套            | Spacer                            | 1           |            |
| 24         | 304.31.107-3   | 立轴            | Upright shaft                     | 1           |            |
| 25         | GB/T276-1994   | 轴承 6305       | Ball bearing 6305                 | 1           |            |

## 26 前驱动桥总成（右边减速）Front Wheel Drive Axle ( Right side-Slowdown )

续表


| 序号 Ser.No. | 代号 Part No.     | 名称及规格         | Name & Specifications                | 数量 Quantity | 备注 Remarks                       |
|------------|-----------------|---------------|--------------------------------------|-------------|----------------------------------|
| 26         | 304.31.139      | 末端传动调整垫片      | Adjusting shims for final drive      | 1组 one set  | 1组每种各2片<br>Two pcs for each size |
| 27         | GB/T3452.1-1992 | O形圈 56×2.65   | O-ring seal 56×2.65                  | 1           |                                  |
| 28         | 304.31.137-2    | 下轴承盖          | Lower bearing cover                  | 1           |                                  |
| 29         | 12.37.149       | 组合密封垫圈        | Combined seal washer                 | 1           | 1组每种各2片<br>Two pcs for each size |
| 30         | 200.38.024      | 放油螺塞总成        | Oil drain plug                       | 1           |                                  |
| 31         | JB/T7940.1-1995 | 油杯 M10×1      | Grease cup M10×1                     | 1           |                                  |
| 32         | 304.31.215-2    | 右联接臂          | Right linking arm                    | 1           |                                  |
| 33         | 304.31.202-1    | 联接转向臂衬套       | Steering arm bushing                 | 1           |                                  |
| 34         | GB/T5783-2000   | 螺栓 M12×35     | Hex. head bolt M12×35                | 4           |                                  |
| 35         | GB/T93-1987     | 垫圈 12         | Spring lock washer 12                | 4           |                                  |
| 36         | GB/T5783-2000   | 螺栓 M10×25     | Hex. head bolt M10×25                | 7           |                                  |
| 37         | GB/T3452.1-1992 | O型圈 34.5×2.65 | O-ring seal 34.5×2.65                | 1           |                                  |
| 38         | 304.31.111-3    | 上轴承盖          | Upper bearing cover                  | 1           |                                  |
| 39         | GB/T3452.1-1992 | O形圈 85×2.65   | O-ring seal 85×2.65                  | 1           |                                  |
| 40         | 304.31.133      | 中间传动调整垫片      | Adjusting shims for the first drive  | 1组 one set  |                                  |
| 41         | GB/T276-1994    | 轴承 6011       | Ball bearing 6011                    | 1           |                                  |
| 42         | 304.31.138      | 锁紧垫片          | Lock washer                          | 1           |                                  |
| 43         | 304.31.110-1    | 立轴挡圈          | Blocking ring of upright shaft       | 1           |                                  |
| 44         | 304.31.112-2    | 调整垫片          | Adjusting shims                      | 1组 one set  | 1组每种各2片<br>Two pcs for each size |
| 45         | 304.31.113-1    | 中间传动被动齿轮      | Driven bevel gear of the first drive | 1           |                                  |
| 46         | 304.31.108-3    | 立轴套管          | Upright shaft housing                | 1           |                                  |

## 26 前驱动桥总成 (右边减速) Front Wheel Drive Axle ( Right side-Slowdown )

续表

| 序号 Ser.No. | 代号 Part No.    | 名称及规格    | Name & Specifications               | 数量 Quantity | 备注 Remarks |
|------------|----------------|----------|-------------------------------------|-------------|------------|
| 47         | 304.31.129-1   | 中间传动主动齿轮 | Driving bevel gear of the first dri | 1           |            |
| 48         | GB/T276-1992   | 轴承 6208  | Ball bearing 6208                   | 1           |            |
| 49         | 304.31.114-2   | 半轴       | Half shaft                          | 1           |            |
| 50         | 404B.31.111    | 右梯形臂     | Right steering trapezoid arm        | 1           |            |
| 51         | GB/T119.1-2000 | 销 A10×20 | Straight pin A10×20                 | 2           |            |

27 前驱动桥总成 (304. 31. 022-1 部件)  
Front Drive Axle (304. 31. 022-1 Assembly)




## 27 前驱动桥总成（304.31.022-1部件） Front Wheel Drive Axle ( 304.31.022-1 Assembly )

| 序号 Ser.No. | 代号 Part No.     | 名称及规格<br>Name & Specifications         | 数量 Quantity | 备注 Remarks                       |
|------------|-----------------|----------------------------------------|-------------|----------------------------------|
| 1          | GB/T91-2000     | 销 3.2×50<br>Split pin 3.2×50           | 1           | 1组每种各1片<br>one pcs for each size |
| 2          | 304.31.223-1    | 槽形螺母<br>Castle nut                     | 1           |                                  |
| 3          | 304.31.224-1    | 调整垫片<br>Adjusting shims                | 1组 one set  |                                  |
| 4          | GB/T3452.1-1992 | O形圈 23.6×2.65<br>O-ring seal 23.6×2.65 | 1           |                                  |
| 5          | 304.31.225-1    | 主动锥齿轮油封座圈<br>Oil-seal seat             | 1           |                                  |
| 6          | HG4-692-67      | 油封 SD35×56×12<br>Oil-seal SD35×56×12   | 1           |                                  |
| 7          | GB/T297-1994    | 轴承 32006<br>Taper roller bearing 32006 | 1           |                                  |
| 8          | 304.31.227      | 主动圆锥齿轮<br>Bevel drive pinion           | 1           |                                  |
| 9          | GB/T3452.1-1992 | O形圈 85×2.65<br>O-ring seal 85×2.65     | 1           |                                  |
| 10         | 304.31.226      | 主动锥齿轮轴承座<br>Bearing seat               | 1           |                                  |
| 11         | GB/T297-1994    | 轴承 31306<br>Taper roller bearing 31306 | 1           |                                  |
| 12         | GB/T3452.1-1992 | O形圈 80×2.65<br>O-ring seal 80×2.65     | 1           |                                  |




28 前驱动桥总成 (304.31.014A 部件)  
Front Drive Wheel Axle (304.31.014 Assembly)



## 28 前驱动桥总成（304.31.014A部件） Front Wheel Drive Axle ( 304.31.014A Assembly )

| 序号 Ser.No. | 代号 Part No.    | 名称及规格     | Name & Specifications      | 数量 Quantity | 备注 Remarks |
|------------|----------------|-----------|----------------------------|-------------|------------|
| 1          | GB/T297-1994   | 轴承 32009  | Taper roller bearing 32009 | 2           |            |
| 2          | GB/T5782-2000  | 螺栓 M8×50  | Hex. head bolt M8×50       | 4           |            |
| 3          | 304.31.206     | 被动圆锥齿轮锁紧片 | Lock washer for crown gear | 2           |            |
| 4          | 304.31.207     | 被动圆锥齿轮    | Crown gear                 | 1           |            |
| 5          | 304.31.210A    | 半轴齿轮垫圈    | Half shaft gear washer     | 2           |            |
| 6          | 304.31.211A    | 差速器半轴齿轮   | Half shaft gear            | 2           |            |
| 7          | GB/T119.1-2000 | 销 A8×20   | Straight pin A8×20         | 2           |            |
| 8          | 304.31.235     | 左差速器壳体    | Left differential housing  | 1           |            |
| 9          | 304.31.208A    | 行星齿轮轴     | Planet gear shaft          | 2           |            |
| 10         | 304.31.205A    | 差速器行星齿轮   | Planet gear                | 2           |            |
| 11         | 304.31.209A    | 行星齿轮垫圈    | Planet gear washer         | 2           |            |
| 12         | GB/T119.1-2000 | 销 A8×35   | Straight pin A8×35         | 2           |            |
| 13         | 304.31.236     | 右差速器壳体    | Right differential housing | 1           |            |

## 29 传动轴总成 Transmission Shaft



## 29 传动轴总成 Transmission shaft


| 序号 Ser.No. | 代号 Part No.     | 名称及规格 Name & Specifications         | 数量 Quantity | 备注 Remarks |
|------------|-----------------|-------------------------------------|-------------|------------|
| 1          | 404G2.36.012    | 前套管焊合件 Front housing                | 1           |            |
| 2          | 304.36.114      | 橡胶垫 Rubber pad                      | 1           |            |
| 3          | GB/T93-1987     | 垫圈 8 Spring lock washer 8           | 4           |            |
| 4          | GB/T6170-2000   | 螺母 M8 Hex. nut M8                   | 2           |            |
| 5          | GB/T5783-2000   | 螺栓 M10×20 Hex. head bolt M10×20     | 2           |            |
| 6          | GB/T93-1987     | 垫圈 10 Spring lock washer 10         | 4           |            |
| 7          | 254D.36.104     | 套管吊环 Sleeve ring                    | 2           |            |
| 8          | 304.36.014      | 环箍 $\phi 53$ 总成 Hoop $\phi 53$      | 1           |            |
| 9          | 304.36.103      | 密封套 Seal sleeve                     | 1           |            |
| 10         | 304.36.015      | 环箍 $\phi 48$ 总成 Hoop $\phi 48$      | 1           |            |
| 11         | 354G2.36.012    | 后套管焊合件 Rear housing                 | 1           |            |
| 12         | GB/T5783-2000   | 螺栓 M8×25 Hex. head bolt M8×25       | 3           |            |
| 13         | GB/T879.1-2000  | 销 4×30 Slotted spring pin 4×30      | 3           |            |
| 14         | GB3081-82       | 热镀锌钢丝I-1.4 Steel wire I-1.4         | 按需 need     |            |
| 15         | 304.36.108      | 橡胶护罩 Rubber cover                   | 2           |            |
| 16         | 304.36.101      | 支承套 Support sleeve                  | 2           |            |
| 17         | GB/T308-2002    | 钢球 9 Steel ball 9                   | 12          |            |
| 18         | GB/T5783-2000   | 螺栓 M8×20 Hex. head bolt M8×20       | 3           |            |
| 19         | 404G2.36.011    | 传动轴焊合件 Transmission shaft           | 1           |            |
| 20         | 304.36.104      | 挡圈（二） Blocking ring (2)             | 2           |            |
| 21         | 304.36.105      | 弹簧 Spring                           | 1           |            |
| 22         | 304.36.106      | 密封挡圈 Seal blocking ring             | 1           |            |
| 23         | 304.36.107      | 后球形连接套 Rear connecting-sleeve       | 1           |            |
| 24         | 304G2.36.102    | 后中轴 Rear mid-shaft                  | 1           |            |
| 25         | GB/T3452.1-1992 | O型圈 48.7×3.55 O-ring seal 48.7×3.55 | 2           |            |

## 29 传动轴总成 Transmission shaft

续表

| 序号 Ser.No. | 代号 Part No.     | 名称及规格<br>Name & Specifications               | 数量 Quantity | 备注 Remarks |
|------------|-----------------|----------------------------------------------|-------------|------------|
| 26         | GB/T5783-2000   | 螺栓 M10×25<br>Hex. head bolt M10×25           | 2           |            |
| 27         | 304.36.109      | 中轴座<br>Mid-shaft seat                        | 1           |            |
| 28         | JB/T7940.1-1995 | 油杯 M10×1<br>Grease cup M10×1                 | 1           |            |
| 29         | 304.36.110      | 纸垫<br>Paper gasket                           | 1           |            |
| 30         | HG4-692-67      | 油封 PG25×42×10<br>Oil seal PG25×42×10         | 1           |            |
| 31         | GB/T276-1994    | 轴承6205-Z<br>Ball bearing with shields 6205-Z | 1           |            |
| 32         | 304.36.113      | 接合套<br>Connecting sleeve                     | 1           |            |
| 33         | 304.36.111      | 中轴套管<br>Mid-shaft housing                    | 1           |            |

# 30 分动箱总成 Transfer case



### 30 分动箱总成 Transfer Case

| 序号 Ser.No. | 代号 Part No.    | 名称及规格<br>Name & Specifications                    | 数量 Quantity | 备注 Remarks |
|------------|----------------|---------------------------------------------------|-------------|------------|
| 1          | 304.42.101     | 中央传动分动齿轮 Power Transfer gear                      | 1           |            |
| 2          | GB/T1096-2003  | 键 C10×32 Flat key C10×32                          | 1           |            |
| 3          | GB/T65-2000    | 螺钉 M5×16 Cheese head screw M5×16                  | 4           |            |
| 4          | GB/T93-1987    | 垫圈 5 Spring lock washer 5                         | 4           |            |
| 5          | 304.42.133-1   | 限位板 Locating plate                                | 1           |            |
| 6          | GB/T895.1-1986 | 挡圈 30 Circlip for shaft 30                        | 1           |            |
| 7          | 304.42.104-1   | 前隔套 Front spacer                                  | 1           |            |
| 8          | GB5801-86      | 轴承 4524906 Needle bearing 4524906                 | 2           |            |
| 9          | 304.42.105     | 分动上过轮 Upper idler                                 | 1           |            |
| 10         | 304.42.103     | 后隔套 Rear spacer                                   | 1           |            |
| 11         | 304.42.116     | 隔圈 Spacer                                         | 2           |            |
| 12         | GB/T305-1998   | 止动环 52/57.9 Locating snap ring 52/57.9            | 2           |            |
| 13         | GB/T276-1994   | 轴承 50205 Ball bearing with snap ring groove 50205 | 2           |            |
| 14         | 304.42.117     | 分动下过轮 Lower idler                                 | 1           |            |
| 15         | 304.42.118     | 小轴 Lower idler shaft                              | 1           |            |
| 16         | GB/T879.2-2000 | 销 6×50 Slotted spring pin 6×50                    | 1           |            |
| 17         | GB/T119.1-2000 | 销 A8×30 Straight pin A8×30                        | 2           |            |
| 18         | 304.42.109-1   | 分动箱体 Transfer case housing                        | 1           |            |
| 19         | 12.37.149      | 组合密封垫圈 Combined seal washer                       | 1           |            |
| 20         | 200.38.024     | 放油螺塞总成 Oil drain plug                             | 1           |            |
| 21         | GB/T276-1994   | 轴承 6205 Ball bearing 6205                         | 1           |            |
| 22         | 304.42.106-1   | 分动箱齿轮 Sliding gear                                | 1           |            |
| 23         | 304.42.107     | 分动箱轴 Transfer case shaft                          | 1           |            |
| 24         | GB/T895.2-1986 | 挡圈 24 Circlip for shaft 24                        | 1           |            |
| 25         | GB/T893.1-1986 | 挡圈 55 Circlip for hole 55                         | 1           |            |


### 30 分动箱总成 Transfer Case

续表

| 序号 Ser.No. | 代号 Part No.     | 名称及规格         | Name & Specifications   | 数量 Quantity | 备注 Remarks |
|------------|-----------------|---------------|-------------------------|-------------|------------|
| 26         | HG4-692-67      | 油封 PG25×42×10 | Oil seal PG25×42×10     | 2           |            |
| 27         | 304.42.108      | 油封座           | Oil seal seat           | 1           |            |
| 28         | GB/T3452.1-1992 | O形圈 45×3.55   | O-ring seal 45×3.55     | 1           |            |
| 29         | GB/T276-1994    | 轴承6205        | Ball bearing 6205       | 1           |            |
| 30         | 304.42.012-1    | 拨杆焊合件         | Shift peg               | 1           |            |
| 31         | GB/T879.2-2000  | 销 5×32        | Slotted spring pin 5×32 | 1           |            |
| 32         | GB/T879.2-2000  | 销 8×32        | Slotted spring pin 8×32 | 1           |            |
| 33         | GB/T3452.1-1992 | O形圈 15×2.65   | O-ring seal 15×2.65     | 1           |            |
| 34         | 304.42.111      | 定位板           | Locating plate          | 1           |            |
| 35         | GB/T93-1987     | 垫圈 8          | Spring lock washer 8    | 3           |            |
| 36         | GB/T5783-2000   | 螺栓 M8×16      | Hex. head bolt M8×16    | 3           |            |
| 37         | 404G2-6.42.011  | 摇臂焊合件         | Rocker arm              | 1           |            |
| 38         | 304G2-6.42.013  | 推杆焊合件         | Push rod                | 1           |            |
| 39         | 304G2-6.42.101  | 插销            | Bolt bar                | 1           |            |
| 40         | 404G2-6.42.012  | 限位套焊合件        | Stop collar             | 1           |            |
| 41         | GB/T308-2002    | 钢球9. 5        | Lock ball 9.5           | 1           |            |
| 42         | 200.37.027-1    | 拨叉定位弹簧        | Compression spring      | 1           |            |
| 43         | GB/T5783-2000   | 螺栓 M12×25     | Hex. head bolt M12×25   | 1           |            |
| 44         | GB/T6170-2000   | 螺母M12         | Hex. nut M12            | 1           |            |
| 45         | 804.42.017      | 拉压手柄合件        | Control handle          | 1           |            |




### 31.1 空滤器总成 (490EPA) Air Filter (For 490EPA)



### 31.1 空滤器总成(490EPA)      Air Filter(For 490EPA)

| 序号 Ser.No. | 代号 Part No.   | 名称及规格      | Name & Specifications   | 数量 Quantity | 备注 Remarks |
|------------|---------------|------------|-------------------------|-------------|------------|
| 1          | 400B.10C.012  | 空滤器固定支架    | Air filter bracket      | 1           |            |
| 2          | 200.00.013-1  | 空气滤清器      | Air filter              | 1           |            |
| 3          | GB/T5783-2000 | 螺栓 M8×25   | Hex. head bolt M8×25    | 1           |            |
| 4          | 200.00.101    | 空滤器架活动板    | Clamping piece, bracket | 1           |            |
| 5          | GB/T93-1987   | 垫圈 8       | Spring lock washer 8    | 1           |            |
| 6          | GB/T6170-2000 | 螺母 M8      | Hex. nut M8             | 1           |            |
| 7          | JB/T8870-1999 | 喉箍 (64-76) | Clip (64-76)            | 1           |            |
| 8          | 400B.10C.113  | 进气管        | Air pipe inlet          | 1           |            |
| 9          | JB/T8870-1999 | 喉箍 (51-70) | Clip (51-70)            | 1           |            |


## 31.2 空滤器总成 Air Filter



### 31.2 空滤器总成 Air Filter

| 序号 Ser.No. | 代号 Part No.   | 名称及规格<br>Name & Specifications    | 数量 Quantity | 备注 Remarks |
|------------|---------------|-----------------------------------|-------------|------------|
| 1          | 400-6.10.110  | 空滤器导流管<br>Air filter pipe         | 1           |            |
| 2          | 350.10B.101-2 | 空气滤清器<br>Air filter               | 1           |            |
| 3          | JB/T8870-1999 | 管箍 (51-70)<br>Clip (51-70)        | 2           |            |
| 4          | 400-1.10.111  | 进气管<br>Enter air pipe             | 1           |            |
| 5          | JB/T8870-1999 | 管箍 (64-76)<br>Clip (64-76)        | 1           |            |
| 6          | GB/T6170-2000 | 螺母 M10<br>Hex. nut M10            | 2           |            |
| 7          | GB/T93-1987   | 垫圈 10<br>Spring lock washer 10    | 2           |            |
| 8          | GB/T97.1-2002 | 垫圈 10<br>Plain washer 10          | 2           |            |
| 9          | GB/T5783-2000 | 螺栓 10×20<br>Hex. head bolt M10×20 | 2           |            |
| 10         | 300.10B.111-1 | 空滤器支架<br>Air filter bracket       | 1           |            |


# 32 散热器总成 Radiator



### 32 散热器总成 Radiator

| 序号 Ser.No. | 代号 Part No.   | 名称及规格<br>Name & Specifications        | 数量 Quantity | 备注 Remarks |
|------------|---------------|---------------------------------------|-------------|------------|
| 1          | 300.13.101    | 上输水管<br>Upper water hose              | 1           |            |
| 2          | JB/T8870-1999 | 喉箍2A (35-51)<br>Hose clamp 2A (35-51) | 4           |            |
| 3          | 354.13.013    | 散热器<br>Radiator                       | 1           |            |
| 4          | GB/T97.1-2002 | 垫圈 12<br>Plain washer 12              | 2           |            |
| 5          | GB/T93-1987   | 垫圈 12<br>Spring lock washer 12        | 2           |            |
| 6          | GB/T6170-2000 | 螺母 M12<br>Hex. nut M12                | 2           |            |
| 7          | 300.13.102A   | 下输水管<br>Lower water pipe hose         | 1           |            |
| 8          | 404G2.13.101  | 水箱支撑杆<br>Supporting rod, radiator     | 1           |            |
| 9          | GB/T6170-2000 | 螺母 M8<br>Hex. nut M8                  | 1           |            |
| 10         | GB/T93-1987   | 垫圈 8<br>Spring lock washer 8          | 1           |            |
| 11         | GB/T97.1-2002 | 垫圈 8<br>Plain washer 8                | 1           |            |
| 12         | GB/T5783-2000 | 螺栓 M8×20<br>Hex. head bolt M8×20      | 1           |            |

### 33.1 排气管总成 Exhaust Pipe




### 33.1 排气管总成 Exhaust pipe

| 序号 Ser.No. | 代号 Part No.   | 名称及规格<br>Name & Specifications     | 数量 Quantity | 备注 Remarks |
|------------|---------------|------------------------------------|-------------|------------|
| 1          | 400B.22.011   | 排气管组合件<br>Exhaust pipe             | 1           |            |
| 2          | GB/T5783-2000 | 螺栓 M10×30<br>Hex. head bolt M10×30 | 4           |            |
| 3          | GB/T97.1-2002 | 垫圈 10<br>Plain washer 10           | 4           |            |
| 4          | GB/T93-1987   | 垫圈 10<br>Spring lock washer 10     | 4           |            |
| 5          | GB/T6170-2000 | 螺母 M10<br>Hex. Nut M10             | 4           |            |
| 6          | 450.22.101    | 排气管纸垫<br>Paper gasket              | 1           |            |
| 7          | 400B.22.102   | 排气支管<br>Exhaust bent pipe          | 1           |            |
| 8          | 300.22.101    | 排气管纸垫<br>Paper gasket              | 1           |            |
| 9          | GB/T5783-2000 | 螺栓 M8×25<br>Hex. head bolt M8×25   | 4           |            |
| 10         | GB/T93-1987   | 垫圈 8<br>Spring lock washer 8       | 4           |            |




### 33.2 排气管总成 Exhaust Pipe



### 33.2 排气管总成 Exhaust pipe

| 序号 Ser.No. | 代号 Part No.   | 名称及规格     | Name & Specifications   | 数量 Quantity | 备注 Remarks |
|------------|---------------|-----------|-------------------------|-------------|------------|
| 1          | 400-6.22.011  | 排气管组合件    | Exhaust pipe (Silencer) | 1           |            |
| 2          | GB/T5783-2000 | 螺栓 M10×30 | Hex. head bolt M10×30   | 4           |            |
| 3          | GB/T93-1987   | 垫圈 10     | Spring lock washer 10   | 8           |            |
| 4          | GB/T6170-2000 | 螺母 M10    | Hex. Nut M10            | 4           |            |
| 5          | 450.22.101    | 排气管纸垫     | Paper gasket            | 2           |            |
| 6          | 450.22.101    | 排气支管      | Exhaust bent pipe       | 1           |            |
| 7          | GB/T5783-2000 | 螺栓 M10×25 | Hex. head bolt M10×25   | 4           |            |


# 34 多路阀液压输出系统总成 Sandwich Multiole Control Valve



### 34 多路阀液压输出系统总成 Sandwich Multiole Control Valve

| 序号 Ser.No. | 代号 Part No.    | 名称及规格 Name & Specifications           | 数量 Quantity | 备注 Remarks |
|------------|----------------|---------------------------------------|-------------|------------|
| 1          | ZD-L10E-W-00-1 | 多路换向阀 Sandwich Multiole Control Valve | 1           |            |
| 2          | 304G2-6.61.025 | 多路阀出油管焊合件 (二) Out-let pipe (2)        | 1           |            |
| 3          | 354.61.102     | 垫圈 Spring washer                      | 13          |            |
| 4          | 354.61.101     | 铰接螺栓 Hex. head bolt                   | 5           |            |
| 5          | 254-1.61.101   | 多路阀进油管接头 Inlet pipe connect           | 2           |            |
| 6          | 304G2-6.61.023 | 多路阀吸油管焊合件 (二) Inlet pipe (2)          | 1           |            |
| 7          | 304G2-6.61.021 | 多路阀出油管焊合件 (一) Out-let pipe (1)        | 1           |            |
| 8          | 304G2-6.61.118 | 吸油管接头 Inlet pipe connect              | 1           |            |
| 9          | 304G2-6.61.019 | 多路阀吸油管焊合件 (一) Inlet pipe (1)          | 1           |            |
| 10         | GB/T6173-2000  | 螺母 M24×2 Hex. nut M24×2               | 8           |            |
| 11         |                | 快换接头 R1/2" Quick change R1/2"         | 4           |            |
| 12         | 404G2-6.61.011 | 连接板焊合件 Connecting plant weldment      | 1           |            |
| 13         | GB/T27-1988    | 螺栓 M6×55 Hex. head bolt M6×55         | 3           |            |
| 14         | GB/T93-1987    | 垫圈 6 Spring washer 6                  | 3           |            |
| 15         | GB/T6170-2000  | 螺母 M6 Hex. nut M6                     | 3           |            |
| 16         | 404G2-6.61.015 | 多路阀回油管焊合件 Return pipe weldment        | 1           |            |
| 17         | JB982-1977     | 垫圈 18 Washer 18                       | 2           |            |
| 18         | GB3541-83      | 螺塞 M18×1.5 Plug M18×1.5               | 1           |            |
| 19         | JB982-1977     | 垫圈 14 Washer 14                       | 2           |            |
| 20         | 254G2.61.013   | 提升器进油管焊合件 Distributor inlet pipe      | 1           |            |
| 21         | 200.55.124     | 空心螺栓 Hollow bolt                      | 1           |            |


# 35 前配重总成 Front Balance Weight



### 35 前配重总成 Front Balance Weight

| 序号 Ser.No. | 代号 Part No.   | 名称及规格<br>Name & Specifications                 | 数量 Quantity | 备注 Remarks |
|------------|---------------|------------------------------------------------|-------------|------------|
| 1          | 250.73.101-1  | 配重<br>Balance weight block                     | 6           |            |
| 2          | GB/T6170-2000 | 螺母M12<br>Hex.nut M12                           | 2           |            |
| 3          | GB/T93-1987   | 垫圈12<br>Spring lock washer 12                  | 2           |            |
| 4          | GB/T96-2002   | 垫圈12<br>Plain washer 12                        | 2           |            |
| 5          | GB/T953-1988  | 螺柱M12×480<br>Clamping-type double stud M12×480 | 1           |            |
| 6          | 300-6.73.012  | 插销焊合件<br>Bolt weldment                         | 1           |            |
| 7          | GB/T6170-2000 | 螺母M14<br>Hex.nut M14                           | 2           |            |
| 8          | 300.73.011    | 牵引板焊合件<br>Front drawbar weldment               | 1           |            |
| 9          | GB/T5783-2000 | 螺栓M12×45<br>Hex.bolt M14×45                    | 2           |            |
| 10         | GB/T93-1987   | 垫圈14<br>Spring lock washer 14                  | 2           |            |

### 36 牵引装置总成 Drawbar



## 36 牵引装置总成 Drawbar

| 序号 Ser.No. | 代号 Part No.   | 名称及规格     | Name & Specifications | 数量 Quantity | 备注 Remarks |
|------------|---------------|-----------|-----------------------|-------------|------------|
| 1          | 200.35.012-1  | 插销焊合件     | Hitch pin             | 1           |            |
| 2          | 200.35.011-1  | 牵引架焊合件    | Drawbar frame         | 1           |            |
| 3          | GB/T93-1987   | 垫圈 16     | Spring lock washer 16 | 6           |            |
| 4          | GB/T5783-2000 | 螺栓 M16×40 | Hex. head bolt M16×40 | 6           |            |